



product catalog



Content

- 3 Welcome
- 4 About Partex. Why mark?
- 5 Standards and Certificates
- 6 Methods of marking and type of packaging
- 7 Article number. International color code
- 8 Product groups
- 14 Products
- 101 Index



Welcome,

We are very proud of our company's dynamic development and how we invest in the future, in new technologies and environmentally friendly solutions.

Partex lead the world in industrial marking systems. We manufacture products for the identification of wires, cables, pipes and components. From the individual electrician to the world's largest companies, our unique marking systems contribute towards increased efficiency and higher safety levels.

Partex consists of a parent company and several subsidiaries. However, we want to be known as one organization, rather than as several separate companies. We want a family culture and atmosphere of the parent company Partex Gullspång in Sweden, permeated the entire group, creating one big family.

On the following pages we invite you to familiarize yourself with our company and our offers.

On the following pages we invite you to familiarize yourself with our company and our offers.






PARTEX MARKING SYSTEMS was founded in 1948 by Tore Löf in Gullspång, Sweden. Since the beginning we have engaged in the production of complete marking systems and cable accessories.

Many of our clients know that Partex is a Swedish company and that we introduced the most popular one-character marker, the PA-marker. But you should know that our offer is much wider. This catalog will be a useful guide to the world marking systems and cable accessories.

It is worth to mention that many of our products was established in response to specific requests from customers who had problems with identification. If you have similar problems, do not waste your time and contact us as soon as possible.

WHY MARK?



Marking increases safety, reduces wasted time in manufacturing and production stoppages. Furthermore, marking simplifies maintenance and reduces costs for service, production loss, fault identification, repairs and exchange of electrical equipment.

Why Choose Partex? Partex offers a complete range of marking products. We have over 60 years' experience of development and manufacturing and that have given us a unique expertise and knowledge in the field.



In order to ensure that our products have a high and consistent quality, they are subjected to numerous tests at the National Institute for Research and Testing in Sweden. Detailed research and stringent tests are done on variables such as the impact of mold, rust, fire, extreme temperatures, UV radiation and various chemicals.

Below is a list of tests.

TEST	METHOD
Flammability	according to UL 94
Low temperature	markers are kept at -30° C for 4 hours. Checking cracks, fractures and similar damage. In addition, the ease of assembly is checked.
High temperature	markers kept at a temperature of 70° C for 1 hour. If the material has passed the test, the test is repeated at a higher temperature.
Aging resistance	accelerated thermal aging, corresponding to the use of material through 30 years at 20° C. Checking cracks, fractures and similar damage. (Up to 50% reduction in elongation before fracture). In addition, the possibility of assembly is checked.
UV resistance	accelerated UV-test, corresponding to ISO 4892-2. Exposing the material to sunlight for a period that equals one year in southern Sweden. Checking for fading, changes in color and readability of the print.
Resistance to abrasion (text)	in accordance with Method 2172 Swedish National Testing and Research Institute (machine abrasive). Using a load of 75 g per millimeter diameter mandrel.
Chemical resistance	mounted markers are immersed in the chemical agent at a temperature of 23° C - 2° C, tried for 2 hours, and then checked for functionality, durability, color and clarity of printing. Chemicals used: synthetic diesel fuel, sulfuric acid (25%), cleaning agent (Berol 226, 10%), distilled water, sea water (5% NaCl), transformer oil (Nytro 10X) and Ethanol (95%).
Dielectric resistance	in accordance with IEC 93
Ozone resistance	the test samples are extended by 33% and exposed to ozone to 100 ± 5 ppm at 65° C to -2° C for 192 hours.



MARKING METHODS

123
M1 SINGLE CHARACTER MARKERS

Consists of single character markers that can be combined with each other to give total marking flexibility.

123
M2 MULTI CHARACTER MARKERS

Allows you to order markers already printed with the complete information in accordance with your specification.

123
M3 ON-SITE

Allows you to produce your own markers on site with one of Partex marking machines.

PACKAGING



reel of 1000 pcs



disc of 250/500 pcs



strip pack of 5 x 100 pcs



pack of 250 pcs



on a reel / in a bag



un sorted



on tape / sheet





on reels



in a cardboard box



in a bag



1. Product series

PA = PA profile
PO = PO profile
PK = PK profile

2. Variations

Z = Zerex / Halogen free
- = Standard version
+ = An improved product

3. Size

4. Length

5. Packaging

A = Cut / loose markers in a bag
B = Semi cut markers on reel
P = Semi cut markers in strips in bags
S = Semi cut markers on compact disc

6. Type of print

B = Black ink jet print
V = Hot stamped print
N = Neutral / Blank markers

7. Colour of profile

Colours according to the international colour code

8. Colour of print

Print colour according to the international colour code.
Some products can only be printed in black or white.

9. Type of characters

A-Z Letters
0-9 Numbers
Special characters such as: + - / earth sign etc.

INTERNATIONAL COLOUR CODE

We offer several types of printing. For example, single-character markers are hot stamped and multi-character markers are printed with ink or thermal transfer.

The colors of our markers are consistent with international colour code shown below.

0	black marker (RAL9011) white print	5	green marker (RAL6001) white print
1	brown marker (RAL8015) white print	6	blue marker (RAL5010) white print
2	red marker (RAL3018) white print	7	violet marker (RAL4006) white print
3	orange marker (RAL2004) black print	8	grey marker (RAL7005) black print
4	yellow marker (RAL1021) black print	9	white marker (RAL9010) black print
	yellow-green marker black print	+	red marker; white print
		-	blue marker; white print



PA
Single-character markers closed marker

▶ 14 ▶ 102




PA+/PC/PK/PO/PY
Multi-character marking
Markers with description according to customer specifications

▶ 46



PC
Single-character markers open marker

▶ 16 ▶ 107



PCA
Single-character open marker

www.parfex.nu



PO/POZ
Oval profile for marking wire and cable (POZ - Halogen-free)

▶ 36 ▶ 117



PT+
PA type sleeve with oval, transparent pocket for marker tags

▶ 18 ▶ 111



PTC
PC type sleeve with oval, transparent pocket for marker tags

▶ 20 ▶ 111



PTZ+
Halogen free, PA type sleeve with oval, transparent pocket for marker tags

▶ 18 ▶ 111



PY
Single-character markers closed marker for wires with small diameters

▶ 14 ▶ 106



PHZ
Heat-shrink tubing for thermal transfer printers

▶ 38 ▶ 118



PHZF
Flat, halogen free heat shrink for thermal transfer printers

▶ 40 ▶ 119



PKS - single character
Stainless steel single-character markers mounted on a metal holder

▶ 24 ▶ 113



PKS - Multi-character
Markers of embossing according to specifications. Punching possible to four lines

▶ 26 ▶ 114



PKS - Stainless steel cable ties

▶ 28 ▶ 116



PKSC - Coated cable ties
Cable ties in stainless steel, coated with a layer of polyester

▶ 29 ▶ 116



PKS10AT
Automatic tool for stainless steel cable ties

www.parfex.nu



PKS10MT
Manual tool for stainless steel cable ties

www.parfex.nu



PA+/PC/PK/PO/PY/PKS/PPQ
Multi-character marking
Markers with description according to customer specifications

▶ 46



PFC
Marker tags in credit card format

▶ 57 ▶ 121



PK
Single-character markers mounted on PO- or PK-holders

▶ 22 ▶ 112



PM
Transparent holder for cable marking
Mounted on the cable with cable ties

▶ 30 ▶ 116



PO/POZ
Oval profile for marking wire and cable (POZ - Halogen-free)

▶ 36 ▶ 117



PTM
Transparent holder for cable marking
Mounted on the cable with cable ties

▶ 32 ▶ 117



PHZ
Heat-shrink tubing for thermal transfer printers

▶ 38 ▶ 118



PHZF
Flat, halogen free heat shrink for thermal transfer printers

▶ 40 ▶ 119



PPQ
Flat and flexible cable marker

▶ 34 ▶ 117



PFC
Marker tags in credit card format

▶ 57 ▶ 121




PP+/PPA+
Flat profile inserted into markers or mounted terminal blocks (PPA+ - Self-adhesive)

▶ 58 ▶ 121



PS - Component markers
Universal markers for marking modular and electrical components

▶ 54 ▶ 119



TX - Terminal block markers
Markers for terminal blocks of different manufacturers

▶ 42 ▶ 131



MK10
Thermal transfer industrial printer to print markers.

▶ 78 ⓘ 128



MK10-DH
Thermal transfer industrial printer to print double-sided markers.

▶ 82 ⓘ 128



PROMARK T-800
Professional thermal transfer printer. Portable, professional printer (interface to PC) for the production of markers.

▶ 74 ⓘ 127



MK500 - A3 PLOTTER
Powerful A3 plotter to print markers on the wires, cables, connectors and components.

▶ 89 ⓘ 128



MK500 - A4 PLOTTER
A4 plotter print markers on wires, cables, connectors and components.

▶ 86 ⓘ 128



SP2000
Highly efficient thermal transfer machine for the production of large amounts of markers.

▶ 95 ⓘ 132



SOFTWARE

WinSign
Software for controlling Partex marking machines.

▶ 98



PF
Polyester label to be inserted into the pocket of transparent markers.

▶ 56 ⓘ 121




PFA
Self-adhesive polyester label to mark components.

▶ 59 ⓘ 122



PFC
Marker tags in credit card format.

▶ 57 ⓘ 121



PLL
Labels for printing in laser printers.

▶ 73



PLT
Labels for thermal transfer printers.

▶ 73



PP+/PPA+
Flat profile inserted into markers or mounted terminal blocks (PPA+ - Self-adhesive).

▶ 58 ⓘ 121



PKB
Powerful halogen-free cable ties made from Nylon 6.6.

▶ 68 ⓘ 125



PKB-UV
Cable Ties for outdoor use.

▶ 68 ⓘ 126



PKS
Stainless steel cable ties.

▶ 28 ⓘ 116



PKSC
Coated cable ties. Cable ties in stainless steel, coated with a layer of polyester.

▶ 29 ⓘ 116



PKB
Cable ties with clasp closure.

▶ 68 ⓘ 125



PKB-MB
Cable ties with metal lock.

▶ 68 ⓘ 126



PKB-WM
Cable ties for marking.

▶ 68 ⓘ 126



PKB-FM
Cable ties for marking.

▶ 68 ⓘ 126



PKB
Accessories for cable ties.

▶ 68 ⓘ 127



PKB
Accessories for cable ties.

▶ 68 ⓘ 127



PE-A
Engraved aluminum plates.

▶ 51 ⓘ 119



PE-P
Plates engraved with a two-layer plastic laminate.

▶ 50 ⓘ 119



PE-S
Engraved plates of stainless steel.

▶ 52 ⓘ 119



CAS/PAM
Cassettes to store single-character markers PA.

▶ 60 I 122



MD/MDH
Holder and applicators for single marker PA.

▶ 61 I 122



PSK
Box for storage of single-character markers.

▶ 62 I 124



SRP
Steel box for storage of reels and markers.

▶ 63 I 124



IT
Self-extinguishing tape with excellent electrical insulating properties.

▶ 67 I 125



MTP-F
Pen for manual marking of markers.

▶ 65 I 124



PYD/PAD/PAV
Applicators for easy assembly of single character markers.

▶ 64 I 124



SP
Spiral tube.

▶ 66 I 125





INFORMATION

- + Closed, permanent grip and adjustable marking sleeve for yet unconnected wires.
- + For applications including electrical engineering, pneumatics and hydraulics.
- + Twist-protection for secure combination marking
- + Excellent legibility

PROPERTIES

Temperature range

PA: -30°C to +60°C
PAZ: -30°C to +90°C

Material

PA: PVC
PAZ: ZEREX (Halogen free)

Print


hot stamped

Standard colours


PA: yellow and white
international colour code for 0-9 on request
PAZ: yellow and white

Text

0-9, A-Z, +, -, /, ., ~, ↓



DIMENSIONS



TYPE	HEIGHT (H mm)	WIDTH (B mm)	TEXT HEIGHT (mm)
PY-01	3.3	3.5	2.6
PA-02	3.6	3.5	2.6
PA-1	5.5	4.2	2.6
PA-2	9.5	6.6	4.0
PA-3	16.5	11.0	4.0

SIZES AND PACKAGING

TYPE	DIAMETER / AREA	LENGTH	NUMBER OF CHARACTERS	PACKAGING
PY-01	~1.0 - 2.0 mm ~0.2 - 0.7 mm ²	3 mm	1	bag of 5x200 pcs - cut roll of 1000 pcs
PA-02/PAZ02	~1.3 - 3.0 mm ~0.2 - 1.5 mm ²	3 mm	1	bag of 5x200 pcs - cut bag of 250 pcs - strips roll of 1000 pcs disc of 500 pcs
PA-1/PAZ1	~2.5 - 5.0 mm ~1.5 - 4.0 mm ²	3 mm	1	bag of 5x200 pcs - cut bag of 250 pcs - strips roll of 1000 pcs disc of 500 pcs
PA-2/PAZ2	~4.0 - 10.0 mm ~2.5 - 16.0 mm ²	4 mm	1	bag of 5x100 pcs - cut bag of 250 pcs - strips disc of 250 pcs
PA-3/PAZ3	~8.0 - 16.0 mm ~16.0 - 70.0 mm ²	6 mm	1	bag of 5x20 pcs - cut

RELATED PRODUCTS



MD, MDH
SEE PAGE 61





CAS
SEE PAGE 60



PAD, PYD, PAV
SEE PAGE 64

APPLICATION





INFORMATION

- + Open markers for already connected wires.
- + Securely positioned with help of barbs.
- + Twist-protected for secure combination marking.
- + Fast snap installation.

PROPERTIES

Temperature range
-30°C to +60°C

Material
PVC


Print
hot stamped

Standard colours
yellow and white
international colour code for 0-9 on request

Text
0-9, A-Z, + - / . ~ ↓



DIMENSIONS




TYPE	HEIGHT (H mm)	WIDTH (B mm)	HEIGHT TEXT (mm)
PC-10	3.6	3.7	2.6
PC-20	4.2	4.5	2.6
PC-30	5.5	5.7	2.6
PC-40	6.5	6.9	4.0

SIZES AND PACKAGING

TYPE	DIAMETER / AREA	LENGTH	NUMBER OF CHARACTERS	PACKAGING
PC-10	~2.4 - 3.0 mm ~0.4 - 1.5 mm ²	3 mm	1	 pack of 200 pcs - strips pack of 200 pcs - cut
PC-20	~3.0 - 4.0 mm ~1.5 - 3.0 mm ²	3 mm	1	 pack of 200 pcs - strips pack of 200 pcs - cut
PC-30	~4.0 - 5.0 mm ~3.0 - 4.0 mm ²	3 mm	1	 pack of 200 pcs - strips pack of 200 pcs - cut
PC-40	~5.0 - 6.2 mm ~4.0 - 5.0 mm ²	4 mm	1	 pack of 200 pcs - strips pack of 200 pcs - cut

APPLICATION





INFORMATION

- + PA type sleeve with oval, transparent pocket for PF, PFC and PP+ profile.
- + Specially designed pocket protects the label from damage and keeps it in place.
- + PF, PFC or PP+ may be inserted both before or after application of the marker.
- + Four sizes with the same pocket size cover most cable diameters.
- + Help to reduce inventory and reduce kost of marking.
- + Also available in Halogen free material (PTZ+).

PROPERTIES

Temperature range
PT+: -30°C to +60°C
PTZ+: -30°C to +90°C

Material
PT+: PVC
PTZ+: ZEREX

RELATED PRODUCTS



PF

SEE PAGE 56


PFC

SEE PAGE 57




PP+

SEE PAGE 58



APPLICATION

DIMENSIONS



TYPE	LENGTH [mm]	WIDTH [B mm]	HEIGHT [H mm]
PT+02	15/21/30	5.0	5.0
PT+10	15/21/30	5.0	7.0
PT+20	15/21/30	6.0	10.0
PT+30	15/21/30	10.0	19.0

SIZES AND PACKAGING

TYPE	DIAMETER / AREA	LENGTH	SUITABLE TAG	PACKAGING		
PT+02/ PTZ+02	~13 - 3.0 mm ~0.25 - 15 mm ²	15 mm 21 mm 30 mm	PFC042 / PP+046		pack of 200 pcs	carton 500 pcs
PT+10/ PTZ+10	~25 - 5.0 mm ~15 - 4.0 mm ²	15 mm 21 mm 30 mm	PFC042 / PP+046		pack of 200 pcs	carton 500 pcs
PT+20/ PTZ+20	~4.0 - 10.0 mm ~25 - 16.0 mm ²	15 mm 21 mm 30 mm	PFC042 / PP+046		pack of 100 pcs	carton 200 pcs
PT+30/ PTZ+30	~8.0 - 16.0 mm ~16.0 - 75.0 mm ²	15 mm 21 mm 30 mm	PFC042 / PP+046		pack of 50 pcs	carton 200 pcs



INFORMATION

- + Open marker sleeve with label pocket for snap on mounting on cables and wires
- + Flexible mounting of holder sleeve before or after connection of wire or cable
- + Fast insertion of marker tag by light pressure on top of pocket
- + The marker sleeve is secured by stiff barbs but is still readjustable

PROPERTIES

Temperature range
-30°C to +60°C

Material
PVC non-flammable, self-extinguishing according to UL94-V0

RELATED PRODUCTS



PF
SEE PAGE 56




PFC
SEE PAGE 57




PP+
SEE PAGE 58

APPLICATION



PTC10021A4

DIMENSIONS



TYPE	HEIGHT (H mm)	WIDTH (W mm)	WIDTH (W2 mm)
PTC-10	5.4	3.7	4.6
PTC-20	6.5	4.5	4.6
PTC-30	7.8	5.7	4.6
PTC-40	9.3	6.9	4.6
PTC-50	10.8	8.2	4.6

SIZES AND PACKAGING

TYPE	DIAMETER / AREA	LENGTH	SUITABLE TAG	PACKAGING
PTC10	~2.4 - 3.0 mm ~0.4 - 15 mm²	15 mm 21 mm 30 mm	PF-10, PFC042 or PP+046	 pack of 200 pcs
PTC20	~3.0 - 4.0 mm ~1.5 - 3.0 mm²	15 mm 21 mm 30 mm	PF-10, PFC042 or PP+046	 pack of 200 pcs
PTC30	~4.0 - 5.0 mm ~3.0 - 4.0 mm²	15 mm 21 mm 30 mm	PF-10, PFC042 or PP+046	 pack of 200 pcs
PTC40	~5.0 - 6.2 mm ~4.0 - 5.0 mm²	15 mm 21 mm 30 mm	PF-10, PFC042 or PP+046	 pack of 100 pcs
PTC50	~6.0 - 7.2 mm ~5.0 - 6.0 mm²	15 mm 21 mm 30 mm	PF-10, PFC042 or PP+046	 pack of 100 pcs





INFORMATION

- + Combination marker for cable and pipe marking.
- + One size for all diameters.
- + Installed quickly onto Partex PKH or POH holder which is fastened with cable ties around the cable.
- + Entirely closed and twist-protected.
- + Highly durable in exposed environments and with excellent readability.

PROPERTIES

Temperature range

PK: -30°C to +60°C
PKZ: -30°C to +90°C

Material

PK: PVC
PKZ: ZEREX

Print

PK: hot stamped, PKZ: ink


Standard colours

yellow and white and the international colour code for 0-9

Text

0-9, A-Z, + - / ~ ↓

APPLICATION



RELATED PRODUCTS



PKB

SEE PAGE 68



POH


SEE PAGE 23



PKH

SEE PAGE 23

DIMENSIONS



TYPE	WIDTH (B1 mm)	WIDTH (B2 mm)	HEIGHT TEXT (mm)
PK-2/PKZ2	11.3	10.0	4.0

ACCESSORIES

PRODUCT	LENGTH	MAX. QUANTITY PK-2	MAX. QUANTITY PKZ2	PACKAGING
PKH070	70 mm	10	-	pack of 100 pcs
PKH070POL	70 mm	10	7	pack of 100 pcs
PKH10POL	100 mm	20	13	pack of 100 pcs
POH07	60 mm	8	-	pack of 100 pcs
POH12	82 mm	13	-	pack of 100 pcs
POH18	110 mm	19	-	pack of 100 pcs

SIZES AND PACKAGING

TYPE	LENGTH	NUMBER OF CHARACTERS	PACKAGING
PK-2/PKZ2	4 mm	1	pack of 5x100 pcs - cut
PK-2/PKZ2	4 mm	1	compact disc 500 pcs





INFORMATION

- + Complete marking system for cables, pipes and components.
- + Single-character and multi-character markers which can be combined on site.
- + Enhanced durability and top quality for use in extreme conditions.
- + Easy to install with steel cable ties.

PROPERTIES

Temperature range
Extreme conditions

Material
Stainless steel equivalent to AISI 316

Print
embossed



DIMENSIONS AND PACKAGING

TYPE	DESCRIPTION	NUMBER OF CHARACTERS	LENGTH (Lmm)	HEIGHT (H mm)	SLOT WIDTH (SW mm)	QUANTITY IN PACK
PKS10006PP	single character: A-Z, and 0-9, + - / . : ~ ~	-	55	10.9	4.8	 50 pcs
PKS10040*	47 mm carrier strip	6	47.0	10.3	4.8	 50 pcs
PKS10060*	65 mm carrier strip	9	65.0	10.3	4.8	 50 pcs
PKS10080*	87 mm carrier strip	13	87.0	10.3	4.8	 50 pcs
PKS10100*	107 mm carrier strip	17	109.0	10.3	4.8	 50 pcs
PKS10120*	128 mm carrier strip	20	128.0	10.3	4.8	 50 pcs


* S = slot, H = hole (e.g. PKS10040S or PKS10040H)




RELATED PRODUCTS



APPLICATION







INFORMATION

- + Brushed stainless steel equivalent to AISI 316
- + Works in extreme conditions
- + Resistant to fire, water, moisture and corrosion
- + Brushed surface reduces light reflection (fourge effect)
- + Mounted with cable ties, screws or rivets

PROPERTIES

Temperature range
extreme conditions

Material
AISI 316 stainless steel

Print
embossed


Packaging
sorted on adhesive tape



DIMENSIONS

TYPE	HEIGHT (mm)	LENGTH (L mm)	SLOT WIDTH (SW mm)	NUMBER OF FITTINGS	TEXT HEIGHT	MAX NO OF LINES *
PKS10	10	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	2
PKS19	19	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	3
PKS25	25,4	50, 70, 90, 110, 130	4,8	single 2 x 1	3,2 / 5,5	4
PKS32	32	50, 70, 90, 110, 130	4,8	double 2 x 2	3,2 / 5,5	4
PKS38	38	50, 70, 90, 110, 130	4,8	double 2 x 2	3,2 / 5,5	4

* depending on the size of the font



MAXIMUM NUMBER OF CHARACTERS PER LINE

LENGTH	TEXT HEIGHT (5,5 mm)	TEXT HEIGHT (3,2 mm)
50	8	11
70	13	18
90	18	26
110	23	33
130	28	41



RELATED PRODUCTS




STAINLESS STEEL CABLE TIES
SEE PAGE 28



STAINLESS STEEL CABLE TIES, COATED
SEE PAGE 29

APPLICATION






INFORMATION

- + Cable ties made of stainless steel AISI 316
- + Great for restraining harnesses and cables. Quick and safe installation in a variety of applications.
- + Easy to clamp with Partex's tools: PKS10AT or PKS10MT
- + Excellent resistance to acids, salt, chemicals, and high temperatures

SIZES AND PACKAGING

TYPE	DESCRIPTION	SIZE (mm)	MAXIMUM DIAMETER (mm)	PACKAGING	MINIMUM TENSILE STRENGTH N
PKS46150AN16	stainless steel cable tie	150 x 4.6	37	1 pcs	445
PKS46200AN16	stainless steel cable tie	200 x 4.6	50	1 pcs	445
PKS46300AN16	stainless steel cable tie	300 x 4.6	85	1 pcs	445
PKS46360AN16	stainless steel cable tie	360 x 4.6	100	1 pcs	445
PKS79360AN16	stainless steel cable tie	360 x 7.9	100	1 pcs	1112
PKS46520AN16	stainless steel cable tie	520 x 4.6	150	1 pcs	445




INFORMATION

- + Cable ties made of stainless steel AISI 316, coated with black or red polyester.
- + A very strong ball lock.
- + Quick and safe installation in a variety of applications.
- + The outer layer of polyester and gently rounded edges protect the cable from damage.
- + Excellent resistance to acids, salt, chemicals, and high temperatures.

SIZES AND PACKAGING

TYPE	DESCRIPTION	SIZE (mm)	MAXIMUM DIAMETER STRIPS (mm)	PACKAGING	MINIMUM TENSILE STRENGTH N
PKS46150AN16C	coated stainless steel cable ties	150 x 4.6	37	1 pcs	445
PKS46200AN16C	coated stainless steel cable ties	200 x 4.6	50	1 pcs	445
PKS46200AN16C2	coated stainless steel cable ties red	200 x 4.6	50	1 pcs	445
PKS46260AN16C	coated stainless steel cable ties	260 x 4.6	69	1 pcs	445
PKS46300AN16C	coated stainless steel cable ties	300 x 4.6	85	1 pcs	445
PKS46360AN16C	coated stainless steel cable ties	360 x 4.6	100	1 pcs	445
PKS46360AN16C2	coated stainless steel cable ties red	360 x 4.6	100	1 pcs	445
PKS79360AN16C	coated stainless steel cable ties	360 x 7.9	100	1 pcs	1112





INFORMATION

- + Transparent holder for marking cables with labels PF, PFC-card or PP+ profile.
- + Four lengths, three widths and endless profiles cover most cable marking demands.
- + Can be installed on cables with very large diameters (depending only on the length of the cable tie).
- + The label is easily inserted into the holder, which ensures quick installation.
- + Holder protects the label from damage.


PROPERTIES

Temperature range
-30°C to +60°C

Material
PVC




DIMENSIONS AND PACKAGING



TYPE	LENGTH (L mm)	WIDTH (B1 mm)	WIDTH HOLE (S mm)	PACKAGING
PM 10/33	33	6.0	3.0	100 pcs
PM 20/33	33	11.3	3.0	100 pcs
PM 20/66	66	11.3	3.0	50 pcs
PM 24/66	66	13.9	3.9	50 pcs

APPLICATION



MARKER TAGS

TYPE	MARKER TAG
PM 10/33	PF-10021, PP+046
PM 20/33	PF-20018, PFC09518, PP+090
PM 20/66	2 x PF-20018, PP+090
PM 24/66	T800-PL120, PP+090, 2 x PFC09518

RELATED PRODUCTS



PF
SEE PAGE 56



PFC
SEE PAGE 57



PP+
SEE PAGE 58



PKB
SEE PAGE 68



INFORMATION

- + Transparent sleeve for cable marking
- + Used for PFC, PF and PP+profile
- + The marker tag is easily inserted to the holder, which ensures quick installation and protection from harmful external factors.
- + Fitting and fastening with cable ties.

PROPERTIES


Temperature range
-30°C to +60°C

Material
PVC




PTM10030K

DIMENSIONS AND PACKAGING



TYPE	LENGTH (L mm)	WIDTH (B1 mm)	WIDTH HOLE (S mm)	PACKAGING	
PTM 10/23	23	6.0	5.0		500 pcs
PTM 10/30	30	6.0	5.0		500 pcs
PTM 20/20	20	11.0	5.0		500 pcs

APPLICATION



MARKER TAGS

TYPE	MARKER TAG
PTM 10/23	PF-10021, PP+046, PFC04221
PTM 10/30	2x PF-10015, PP+046, PFC04230
PTM 20/20	PF-20018, PP+090, PFC09518

RELATED PRODUCTS



PF
SEE PAGE 56



PFC
SEE PAGE 57



PP+
SEE PAGE 58



PKB
SEE PAGE 68



INFORMATION

- + Flat cable marker with pre-punched holes
- + Easy to mount on the cable with cable ties
- + Very durable and fast print with printer MK10 or MK10-DH, up to 2000 markers per hour
- + Also available pre-printed according to customer specifications
- + Flexible material which neatly forms to the cable
- + Adjustable font size gives the ability to have up to 5 lines of text

SPECIFICATIONS

- + PPQ + is a flat profile with pre-punched holes. The profile is supplied on reels and have fixed lengths. PPQ+ can be printed on the MK-10 or ordered pre-printed according to customer specifications
- + Profile to be printed on MK10 are provided on the 20-meter reels containing from 300 to 500 markers

PROPERTIES

Temperature range Temperature range: -20°C to +60°C (-4°F to +140°F) Storage temperature: +10°C to +27°C (+32°F to 81°F) < 95% Rh	Resistance self-extinguishing to UL94-V0 excellent service life and resistance to UV radiation and chemicals
Material Soft PVC	Standard colours yellow and white
Print thermal transfer	

RELATED PRODUCTS




PKB
SEE PAGE 68

MK10
SEE PAGE 78

PPQ+10060

DIMENSIONS AND PACKAGING



TYPE	HEIGHT [H mm]	LENGTH [L mm]	PACKAGING
PPQ+10040DN*	10 mm	40 mm	20 m
PPQ+10060DN*	10 mm	60 mm	20 m
PPQ+10080DN*	10 mm	80 mm	20 m
PPQ+19040DN*	19 mm	40 mm	20 m
PPQ+19060DN*	19 mm	60 mm	20 m
PPQ+19080DN*	19 mm	80 mm	20 m
PPQ+38060DN*	38 mm	60 mm	20 m
PPQ+38080DN*	38 mm	80 mm	20 m
PPQ+38100DN*	38 mm	100 mm	20 m

* - product is available in two colors: yellow (4) white (9)





INFORMATION

- + Oval profile to identify cables and wires.
- + Quick installation - all information included on one sleeve.
- + Designed for the most popular sections of wires and cables.
- + Easy to print on with thermal transfer printers from Partex.
- + PO-068 can be applied directly to the handle POH or PKH and then fastened to the cable with cable ties.

PROPERTIES

Temperature range
PO: -30°C to +60°C; POZ: -30°C to +90°C

Material
PO - PVC, POZ - ZEREX


Print
thermal transfer

Standard colours
yellow and white, other on request.

RELATED PRODUCTS



APPLICATION



DIMENSIONS AND PACKAGING

TYPE	TYPE	DIAMETER [mm] [min/max]	AREA [mm²]	PACKAGING	COMPATIBLE PRINTERS
P0-01	POZ-01	13 / 18	0.25	50 m or 250 m	PROMARK T-800 MK10, MK10-DH SP2000
P0-02	POZ-02	17 / 22	0.5	50 m or 250 m	
P0-03	POZ-03	20 / 25	0.75	50 m or 250 m	
P0-04	POZ-04	22 / 28	1.0	50 m or 200 m	
P0-05	POZ-05	27 / 35	1.5	40 m or 200 m	
P0-06	POZ-06	32 / 4.0	2.5	40 m or 200 m	
P0-068*	PKZ20	6.8 / 7.0	-	4,5 m or 50 m	
P0-06Q**	-	-	-	3,5 m or 40 m	
P0-068Q**	PKZ20Q	-	-	25 m	
P0-07	POZ-07	3.8 / 4.7	4.0	25 m or 100 m	
P0-08	POZ-08	4.6 / 5.5	6.0	25 m or 100 m	PROMARK T-800 MK10, MK10-DH SP2000
P0-09	POZ-09	5.6 / 7.0	10.0	25 m or 100 m	
P0-10	POZ-10	6.5 / 8.0	16.0	50 m	
P0-12	POZ-12	7.5 / 10.0	20.0	50 m	
P0-14	POZ-14	9.5 / 12.0	25.0	50 m	
P0-16	POZ-16	11.5 / 14.0	35.0	50 m	
P0-18	POZ-18	13.5 / 16.0	50.0	50 m	
P0-20	POZ-20	15.5 / 18.0	70.0	50 m	
P0-22	POZ-22	17.5 / 20.0	95.0	50 m	
P0-24	POZ-24	19.5 / 22.0	120.0	50 m	
P0-26	POZ-26	21.5 / 24.0	150.0	50 m	PROMARK T-800 MK10, MK10-DH SP2000
P0-28	POZ-28	24.0 / 28.0	185.0	50 m	

* mounted on POH, PKH or directly with cable tie ** pre-punched, mounted with cable tie





INFORMATION

- + Flexible, round profile made of cross-linked heat shrinkable polyolefin.
- + Many applications in industry
- + Excellent properties of fire safety characteristics
- + Low smoke generation and evolution of acid gases
- + 2:1 shrink ratio

PROPERTIES

Temperature range
-55°C to +125°C

Material
polyolefin, flame retardant in accordance with ASTM D2671

Print
thermal transfer

Standard colours
yellow and white, others on request


According to the standard
AMS-DTL-23053 Class 1
BS 6853:1999
CEN/TS 45545-2
UNI CEI 11170-3



PHZ20048BN4

DIMENSIONS AND PACKAGING

TYPE	DIAMETER (D mm)	DIAMETER (D1 mm)	THICKNESS (W mm)	PACKAGING	COMPATIBLE PRINTERS		
PHZ20024	2.4	1.2	0.51	100 m	PROMARK T-800	MK10, MK10-DH	SP2000
PHZ20032	3.2	1.6	0.51	100 m			
PHZ20048	4.8	2.4	0.51	100 m			
PHZ20064	6.4	3.2	0.64	75 m			
PHZ20095	9.5	4.8	0.64	75 m			
PHZ20127	12.7	6.4	0.64	50 m			
PHZ20190	19.0	9.5	0.77	25 m			
PHZ20254	25.4	12.7	0.89	25 m			
PHZ20381	38.1	19.1	1.02	25 m			



RELATED PRODUCTS



PROMARK T-800
SEE PAGE 74



MK10
SEE PAGE 78




MK10-DH
SEE PAGE 82



SP2000
SEE PAGE 95

APPLICATION





INFORMATION

- + Flat, thin-walled heat shrink made of halogen-free material.
- + High resistance to low and high temperature.
- + Very low gas emission in case of fire.
- + Fireproof
- + 2:1 shrink ratio
- + The ideal is a heavy-duty industrial applications
- + Fast and cheap marking on site with a printer from Partex.

PROPERTIES


Temperature range
-55°C do +125°C

Material
Halogen free, self-extinguishing in accordance with ASTM D2671


Print
thermal transfer


Standard colours
yellow and white, others on request

According to standard
AMS-DTL-23053 Class 1



DIMENSIONS AND PACKAGING

	TYPE	DIAMETER (D mm)	DIAMETER (D1 mm)	THICKNESS (W mm)	PACKAGING		COMPATIBLE PRINTERS		
	PHZF20024	2.4	12	0.51		25 m or 100 m	PROMARK T-800	MK10, MK10-DH	SP2000
	PHZF20032	3.2	16	0.51		25 m or 100 m			
	PHZF20048	4.8	24	0.51		25 m or 100 m			
	PHZF20064	6.4	32	0.64		25 m or 100 m			
	PHZF20095	9.5	4.8	0.64		75 m	MK10, MK10-DH		
	PHZF20127	12.7	6.4	0.64		50 m			
	PHZF20191	19.1	9.5	0.77		50 m			
	PHZF20254	25.4	12.7	0.89		50 m			
	PHZF20381	38.1	19.1	1.02		25 m			



RELATED PRODUCTS



PROMARK T-800
SEE PAGE 74



MK10
SEE PAGE 78





MK10-DH
SEE PAGE 82



SP2000
SEE PAGE 95

APPLICATION





INFORMATION

- + Terminal block markers in the form of strips for interconnected individual components.
- + Strong snap buttons makes the marker withstand high vibration.
- + Excellent legibility.
- + Up to two lines of horizontal or vertical text.
- + The sizes correspond to different widths of terminals.
- + Can be printed in Partex plotters.

PROPERTIES

Temperature range
-30°C to +60°C

Material
PVC

Print
Ink

RELATED PRODUCTS





MK500 - A3 PLOTTER
SEE PAGE 89




MK500 - A4 PLOTTER
SEE PAGE 86

APPLICATION



DIMENSIONS



TYPE	HEIGHT (H mm)	LENGTH (W mm)
TX-96	4.0	9.6
TX-61	2.8	6.1

SIZES AND PACKAGING

TYPE	MARKER LENGTH (mm)	PLATE MK500	PACKAGING	PHOENIX CONTACT	WEIDMULLER	WAGO	POKÓJ	ENTRELEC
TX-96050	5.0	MK500-TX96	100	✓		✓		✓
TX-96052	5.2	MK500-TX96	100	✓		✓		✓
TX-96060	6.0	MK500-TX96	100	✓		✓		✓
TX-96062	6.2	MK500-TX96	100	✓		✓		✓
TX-96073	7.3	MK500-TX96	100	✓		✓		✓
TX-96080	8.0	MK500-TX96	100	✓		✓		✓
TX-96082	8.2	MK500-TX96	100	✓		✓		✓
TX-96100	10.0	MK500-TX96	100	✓		✓		✓
TX-96102	10.2	MK500-TX96	100	✓		✓		✓
TX-96120	12.0	MK500-TX96	100	✓		✓		✓
TX-96141	14.1	MK500-TX96	100	✓		✓		✓
TX-96151	15.1	MK500-TX96	100	✓		✓		✓
TX-61051	5.1	MK500-TX61	100		✓		✓	
TX-61061	6.1	MK500-TX61	100		✓		✓	

TYPE	HEIGHT (mm)	PACKAGING	FITS
PP+063	6.3	compacta disc 15 m	Phoenix Contact*
PP+100	10.2	compacta disc 15 m	Entrelec
PP+110	11.0	compacta disc 15 m	Wago (TopJobs)

* UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5



MULTI CHARACTER MARKERS

M2

SAVING. Customized multi-character marking increases efficiency. The more complex the job, the faster it can be done using our systems. Furthermore, there is no waste. Ordering the markers ready-sorted saves even more time.

SIMPLICITY. We have also made it easy to order M2 markers. Simply choose the method that suits you best. Anything from an emailed Excel list to direct ordering via the internet – order when, where and how you like. It could not be any simpler!

SAFETY. Using our M2 system ensures the highest quality. No character can suddenly switch place or be lost. A correct original specification guarantees a correct end result. This is because all the markers are printed in advance!

SELECTION. Our M2 system leaves you entirely free to adapt your marking to your needs. Product types, sizes, colours, materials, sorting methods, packaging – we know customers' needs and offer you the widest possible selection of solutions!



SORTING AND PACKAGING OPTIONS FOR OUR CUSTOMIZED MULTI CHARACTER MARKERS

- MFS10** – The same type of markers sorted on a roll or in a bag.
- MFS20** – Various types of markers sorted in one bag. Sorted for example according to drawing, cabinet or cables.
- MFS30** – „Double Sorting“, eg the cabinet, inside cabinets - by individual cables. Markers can also be ordered on adhesive tape or a sheet.
- MFS40** – Markers mounted with cable ties and holders (PKH), sorted on a sheet or adhesive tape.

CUSTOMIZED MULTI CHARACTER MARKERS





INFORMATION

- + Multi-character markers printed according to customer specifications.
- + All of information on one sleeve.
- + Quick installation with fewer markers.
- + No residue, no need of inventory.

OPEN WIRE MARKERS

TYPE	DIAMETER [mm]	AREA [mm²]	LENGTH [mm]	NUMBER OF CHARACTERS
PC/PCZ-10	2.4 - 3.0	0.4 - 1.5	9 - 100	1 - 30
PC/PCZ-20	3.0 - 4.0	1.5 - 3.0	9 - 100	1 - 30
PC/PCZ-30	4.0 - 5.0	3.0 - 4.0	9 - 100	1 - 30
PC/PCZ-40	5.0 - 6.2	4.0 - 5.0	9 - 100	1 - 30

CLOSED WIRE MARKERS

TYPE	DIAMETER [mm]	AREA [mm²]	LENGTH [mm]	NUMBER OF CHARACTERS
PA+00	0.8-2.0	0.15-0.7	9 - 100	1-30
PA/PAZ+02	1.3 - 3.0	0.2 - 1.5	9 - 100	1 - 30
PA/PAZ+1	2.5 - 5.0	1.2 - 4.0	9 - 100	1 - 30
PA/PAZ+2	4.0 - 10.0	2.5 - 16.0	9 - 100	1 - 30
PA/PAZ-3	8.0 - 16.0	16.0 - 70.0	9 - 100	1 - 30

CABLE MARKERS

TYPE	LENGTH [mm]	NUMBER OF CHARACTERS
PK/PKZ2	9 - 100	1 - 30
PK/PKZ20QT25	25	12
PK/PKZ20QT40	40	40



STANDARDIZED MULTI-CHARACTER MARKING, PA

TYPE	DIAMETER [mm]	AREA [mm²]	MARKER TEXT	PACKAGING
PA-02	1.3 - 3.0	0.2 - 1.5	L1, L2, L3, PE	strip pack 5x100 pcs compacta disc 250 pcs reel 1000 pcs
PA-1	2.5 - 5.0	1.5 - 4.0	L1, L2, L3, PE	strip pack 5x100 pcs compacta disc 250 pcs reel 1000 pcs
PA-2	4.0 - 10.0	2.5 - 16.0	L1, L2, L3, PE	strip pack 5x100 pcs compacta disc 250 pcs reel 1000 pcs
PA-3	8.0 - 16.0	16.0 - 70.0	L1, L2, L3, PE	strip pack 5x20 pcs

STANDARDIZED MULTI-CHARACTER MARKING, PC

TYPE	DIAMETER [mm]	AREA [mm²]	MARKER TEXT	PACKAGING
PC-10	2.4 - 3.0	0.4 - 1.5	L1, L2, L3, PE	strip pack 5x100 pcs
PC-20	3.0 - 4.0	1.5 - 3.0	L1, L2, L3, PE	strip pack 5x100 pcs
PC-30	4.0 - 5.0	3.0 - 4.0	L1, L2, L3, PE	strip pack 5x100 pcs
PC-40	5.0 - 6.2	4.0 - 5.0	L1, L2, L3, PE	strip pack 5x100 pcs



PKS - CABLE MARKERS IN STAINLESS STEEL

TYPE	WIDTH [mm]	LENGTH [mm]
PKS10	10	50, 70, 90, 110, 130
PKS19	19	50, 70, 90, 110, 130
PKS25	25,4	50, 70, 90, 110, 130
PKS32	32	50, 70, 90, 110, 130
PKS38	38	50, 70, 90, 110, 130

PPQ - CABLE MARKERS

TYPE	WIDTH [mm]	LENGTH [mm]
PPQ+10040	10	40
PPQ+10060	10	60
PPQ+10080	10	80
PPQ+19040	19	40
PPQ+19060	19	60
PPQ+19080	19	80
PPQ+38060	38	60
PPQ+38080	38	80
PPQ+38100	38	100

PO - WIRE AND CABLE MARKERS

TYPE	DIAMETER [min/max] [mm]	AREA [mm²]
PO/POZ-01	13/18	0.25
PO/POZ-02	17/2.2	0.5
PO/POZ-03	2.0/2.5	0.75
PO/POZ-04	2.2/2.8	1.0
PO/POZ-05	2.7/3.5	1.5
PO/POZ-068*	6.8/7.0	-
PO/POZ-07	3.8/4.7	4.0
PO/POZ-08	4.6/5.5	6.0
PO/POZ-09	5.6/7.0	10.0
PO/POZ-10	6.5/8.0	16.0
PO/POZ-12	7.5/10.0	20.0
PO/POZ-14	9.5/12.0	25.0
PO/POZ-16	11.5/14.0	35.0
PO/POZ-18	13.5/16.0	50.0
PO/POZ-20	15.5/18.0	70.0
PO/POZ-22	17.5/20.0	95.0
PO/POZ-24	19.5/22.0	120.0
PO/POZ-26	21.5/24.0	150.0
PO/POZ-28	24.0/28.0	185.0

* mounted on holder POH or PKH

PHZ - HEAT SHRINK

TYPE	DIAMETER BEFORE SHRINKING [mm]	DIAMETER AFTER SHRINKING [mm]
PHZ/PHZF20024	2.4	1.2
PHZ/PHZF20032	3.2	1.6
PHZ/PHZF20048	4.8	2.4
PHZ/PHZF20064	6.4	3.2
PHZ/PHZF20095	9.5	4.8
PHZ/PHZF20127	12.7	6.4
PHZ/PHZF20190	19.0	9.5
PHZ/PHZF20254	25.4	12.7
PHZ/PHZF20320	32.0	16.0

PACKAGING



UN SORTED



ON A REEL / IN A BAG



ON TAPE / SHEET





INFORMATION

- + Laser engraved plates in high quality
- + Prepare your project in Excel or on-line
- + Self-adhesive tape on back
- + Choose between different hole types

PROPERTIES


Temperature range
-40°C to +70°C

Material
acrylic laminate

Engraving
CO² laser

Colors (plate / text)

123	black / white	123	blue / white
123	white / black	123	light blue / black
123	grey / white or black	123	red / white or black
123	brown / white		
123	orange / white or black		
123	yellow / white or black		
123	green / white		



INFORMATION

- + Plates made of high quality aluminum, UV resistant
- + Prepare your project in Excel or on-line
- + Self-adhesive tape on back
- + Choose between different hole types

PROPERTIES

Temperature range
-40°C to +200°C




Material
aluminium

Engraving
CO² laser

Colors

123	aluminium / black
-----	-------------------





INFORMATION

- + Laser engraved plates in high quality
- + Prepare your project in Excel or on-line
- + Self-adhesive tape on back
- + Choose between different hole types

PROPERTIES

Temperature range
extreme conditions

Material
stainless steel

Thickness
1 mm

Engraving
CO² laser


Colors
123 steel / black



WARNING
CABLE POWER
230V

PREPARE THE PLATES IN EXCEL OR ON THE WEB

OSWIETLENIE PULITU	OSWIETLENIE PRZYRZĄDÓW	OSWIETLENIE KABINY	OSWIETLENIE SZAFY	OSWIETLENIE KABINY PRZEDNIEJ	REFLEKTOR PRZEDNI CZERWONY LEWY	REFLEKTOR PRZEDNI BIAŁY LEWY	
REFLEKTOR PRZEDNI BIAŁY PRAWY	REFLEKTOR PRZEDNI CZERWONY PRAWY	REFLEKTOR TYLNY CZERWONY LEWY	REFLEKTOR TYLNY BIAŁY LEWY	REFLEKTOR TYLNY BIAŁY PRAWY	REFLEKTOR TYLNY CZERWONY PRAWY	REFLEKTOR PRZEDNI GÓRNY	
WENTYLATORY KABINY MASZYNISTY	STEROWANIE RĘCZNE SPRĘŻARKI	STEROWANIE RĘCZNE WENTYLATORÓW	OSWIETLENIE STOPNI	PRZELĄCZNIK TOWAROWY-OSOBOWY	POMPA OLEJU	POMPA OBIEGOWA WODY	
POMPA WODY	POMPA PALIWA	WYŁĄCZNIK BUCZKA SYGNALIZACJI PPOŻ.	START WIELOKROTNY	STOP WIELOKROTNY	ODBŁOKOWANIE PRZEKĄŻNIKÓW NADMIAROWYCH	REFLEKTOR TYLNY GÓRNY	
WOLTOMIERZ PRĄDNICY POMOCNICZEJ	TEMPERATURA WODY	ZBIORNIK ROZRZĄDU	SYRENA PNEUMATYCZNA	JAZDA Z OSŁABIONYM WZBUDZENIEM	POŻAR PRZEDZIAŁU MASZYNOWEGO	POŻAR SZAFY WN KABINA MASZYNISTY	WYŁĄCZNIK GŁÓWNY
AMPEROMIERZ PRĄDNICY POMOCNICZEJ	KONTROLA	ZBIORNIK GŁÓWNY	SYRENA PNEUMATYCZNA	PRZEKĄŻNIK ZIEMNOZWARTOŚCIOWY I NADMIAROWY	POŻAR LOKOMOTYWA STEROWANA	KONTROLA SYGNALIZACJI POŻARU	
PRĄDNICA GŁÓWNA	AWARIA	PRZEWÓD GŁÓWNY	SYRENA ELEKTRYCZNA	USZKODZENIE W LOKOMOTYWIE STEROWANEJ	LICZNIK MOTO GODZIN	ZASILANIE RADIOTELEFONU	
OBROTOMIERZ LOKOMOTYWY STERUJĄCEJ	ZASILANIE	CYLINDER HAMULCOWY	SYRENA ELEKTRYCZNA	PRZECIWPÓŚLIZGOWY	PRZECIWPÓŚLIZGOWY	START	
OBROTOMIERZ LOKOMOTYWY STEROWANEJ	MANOMETR CIŚNIENIA OLEJU	PRZYCIEMNIENIE REFLEKTORÓW	CZUWAK	STOP	BOCZNIKOWANIE	BOCZNIKOWANIE	WYŁĄCZNIK GŁÓWNY
START	TEMPERATURA OLEJU	PRZYCIEMNIENIE REFLEKTORÓW	CZUWAK	PRZELĄCZNIK KONTROLI LAMPEK	ODŁUŻNIACZ	ODŁUŻNIACZ	
PRZYCIEMNIENIE LAMPEK SHP, CA	PRZELĄCZNIK BIEGU JAŁOWEGO	OGRZEWANIE SZYB	USZKODZENIE SILNIKA SPALINOWEGO	STEROWANIE RĘCZNE WENTYLATORA	PRZELĄCZNIK JAZDY MANEWRWEJ	SHP	
						SHP	
						CA	CA



INFORMATION

- + Universal marking system for control panels and components.
- + Rapid installation using pre-marked or write-on files fixed to unique rail system.
- + Rail mounted in seconds using self-adhesive backing and/or rivets and screws.
- + Large, clear legends for instant identification even at distance.

PROPERTIES

Temperature range
-20°C to +60°C


Material
Cadmium and silicon free rigid PVC

RELATED PRODUCTS


PF
SEE PAGE 56

PFC
SEE PAGE 57

PP+
SEE PAGE 58




DIMENSIONS AND PACKAGING




White markers with black print

TYPE	MODULE WIDTH	THICKNESS (mm)	HEIGHT (mm)	LENGTH (mm)	PACKAGING
PS-20006	1 / 3	4.2	12.9	5.5	 20 pcs
PS-20009	0.5	4.2	12.9	8.75	
PS-20018	1	4.2	12.9	17.5	
PS-20027	15	4.2	12.9	26.25	
PS-20035	2	4.2	12.9	35.0	
PS-20053	3	4.2	12.9	52.5	 1m
PS-20KN9	-	4.2	12.9	1m	




Transparent modules

TYPE	MODULE WIDTH	LENGTH (mm)	MARKER TAG	PACKAGING
PS-20009	0.5	8.75	PP+	 20 pcs
PS-20018	1	17.5	PF, PFC, PP+	
PS-20027	15	26.25	PF, PFC, PP+	
PS-20035	2	35.0	PF, PFC, PP+	
PS-20053	3	52.5	PF, PFC, PP+	
PS-20KT	-	1m	PF, PFC, PP+	1m




Base profile with adhesive

TYPE	LENGTH (m)	HEIGHT (mm)	THICKNESS (mm)	COLOUR	PACKAGING
PS-20BPS	1	11.6	3.0	black	10 m
PS-20BPV	1	11.6	3.0	white	10 m



Mounting rivets

TYPE	DIAMETER (D mm)	THICKNESS (mm)	PACKAGING
PS-R6	3.0	0.5 - 1.5	100 pcs
PS-R7	3.0	1.5 - 2.5	100 pcs



INFORMATION

- + Label material for cables, wires, cabinets and components
- + For Partex holder systems PT+, PTZ+, PTC, PM and PS
- + Easy to separate in rigid polyester foil, specially pre-processed for printing
- + Halogen free
- + Fast, convenient marking on site with Partex software WinSign

PROPERTIES




Standard colour
yellow and white (two-sided).

RELATED PRODUCTS



WINSIGN
SEE PAGE 98

APPLICATION



FSMEU21A_EIF3_FSMEU21B_EIF2

L3

51.06

U09_32

FSMEU21A_EIF3_FSMEU21B_EIF2

550.34

INFORMATION

- + Cards of different sizes for marking wires, cables and devices
- + For Partex holder systems PT+, PTZ+, PTC, PM and PS
- + Easy to separate in rigid polyester foil, specially pre-processed for printing
- + Enables a low cost 2-component solution together with Partex holder systems

PROPERTIES

Standard colour
yellow and white

SIZES AND PACKAGING

TYPE	LENGTH [mm]	WIDTH [mm]	MATERIAL	TAGS PER CARD	CARDS PER BOX
PFC042	12	4.2	ABS	21	25
	15		ABS	21	25
	18		ABS	21	25
	21		ABS	21	25
	30		ABS	14	25
PFC07014	14	7.0	poliester	25	25
PFC07533	33	7.5	ABS	9	25
PFC09518	18	9.5	ABS	20	25
PFC09540	40	9.5	polyamid	8	25
PFC09580	80	9.5	polyamid	4	25
PFC12726	25.4	12.7	poliester	9	25
PFC45080	80	45	poliester	1	25

RELATED PRODUCTS



MK500 - A3 PLOTTER
SEE PAGE 89



INFORMATION

- + Flat profile made of PVC
- + Used with marker sleeves on wires (PT +, PTZ and PTC), cables (PM) or compnents (PS).
- + Material provides easy application
- + Developed for easy printing on site with Partex marking machines
- + PPA+ is a flat hard profile with adhesive tape for cabinet and component marking

PROPERTIES

Standard colour
yellow and white

TYPE	WIDTH (mm)	PACKAGING	APPLICATION
PP+046	4.6	17 m / 50 m	Phoenix Contact* terminal blocks
PP+063	6.3	17 m / 50 m	Phoenix Contact terminal blocks
PP+090	9.0	17 m / 50 m	PM-20, PTM20, PS
PP+110	11.0	17 m / 50 m	Wago (TopJobs) terminal blocks
PP+100	10.2	17 m / 50 m	Entrelecs terminal blocks
PPA+	9.0	10 m / 25 m	Flat profile with adhesive

* - UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5

RELATED PRODUCTS




PROMARK T-800
SEE PAGE 74



MK10
SEE PAGE 78

APPLICATION



INFORMATION

- + Self-adhesive label material for direct marking in cabinets and on components
- + Label modules pre-punched in standardized 17.5 mm units
- + Halogen free
- + Very durable and environment resistant printout by laser printer

PROPERTIES

Standard colour
yellow and white

RELATED PRODUCTS



WINSIGN
SEE PAGE 98

SIZE AND PACKAGING

TYPE	HEIGHT (mm)	LENGTH (mm)	QUANTITY / SHEET	QUANTITY / BOX
PFA20018	9.5	17.5	32 x 11 labels	10 sheets







INFORMATION

- + Cassette for PA02- and PA1 sleeves
- + Flexible aid for service and maintenance marking
- + Pocket-size – easy to take along
- + Easy to refill from Partex standard range
- + CAS is double-sided for right and left mounting
- + PAM has transparent upper side which simultaneously protects the sleeve

DIMENSIONS AND PACKAGING

TYPE	COLOUR	NUMBER OF GROOVES	NUMBER OF SLEEVES	DIMENSIONS (mm)	INCLUDES APPLICATOR
CAS-600EP	red	10 x 2	300 x 2	67 x 90 x 21	PAD-3M
CAS-600E	red	10 x 2	300 x 2	67 x 90 x 21	-
CAS-500EP	blue	10 x 2	300 x 2	67 x 90 x 21	PAD-4M
CAS-500E	blue	10 x 2	300 x 2	67 x 90 x 21	-
PAM-02	red	10 x 2	10 x 44	615 x 150 x 7.5	PAV-02M
PAM-10	blue	10 x 2	10 x 44	72 x 152.5 x 8.5	PAV-10M

APPLICATION




INFORMATION

- + The MD installation tool and MDH holder form a complete installation magazine for PA sleeves
- + Excellent aid when working with installation
- + The holder is easily loaded with the MD installation tool
- + Complete marking kit for marking on site
- + Minimize installation time and maximize flexibility when working with combination marking

DIMENSIONS AND PACKAGING

TYPE	DESCRIPTION	PACKAGING
MDH2002	Holder for MD-02 applicator; red	1 pcs.
MDH2010	Holder for MD-10 applicator; blue	1 pcs.
MD-02	Applicator for PA-02, red	20 pcs.
MD-10	Applicator for PA-1, blue	20 pcs.
MD-10S40.0-9	MD-02: PA1 (0-9)	10 x 25 pcs.
MD-02S40.0-9	MD-10: PA-02 (0-9)	10 x 25 pcs.
MDH2002S	Complete standard kit MD-02: PA-02	20 x 25 pcs.
MDH2010S	Complete standard kit MD-10: PA-1	20 x 25 pcs.
MD-02003	Applicator with PA-02 sleeves	1 pcs.
MD-10003	Applicator with PA-1 sleeves	1 pcs.

APPLICATION






INFORMATION

- + Purpose designed 12 and 18 compartment boxes in impact resistant plastic.
- + Ideal for storing a selection of Partex markers, both cut and in strips.
- + On-site combination marking at a glance and at your fingertips.
- + Transparent lid ensures high visibility of contents.
- + Available empty or ready furnished with Partex marker packs.

DIMENSIONS


PSK can be ordered with any set of markers

TYPE	LENGTH (L mm)	WIDTH (W mm)	HEIGHT (H mm)	COMPARTMENTS
PSK12000	250	175	46	12
PSK18000	240	195	42	18



READY MADE KITS

Contact Partex.




INFORMATION

- + Robust steel plate storage box for Partex compacta discs
- + Detachable upper tray for cable accessories.
- + Flexible carrying handle.
- + Holes for different suspension arrangements.
- + An excellent accessory which simplifies marking work.

PROPERTIES AND DIMENSIONS

SRP can hold 14 disks PA-2 or 11 disks PK-2



TYPE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	COMPARTMENTS
SRP	160	160	163	6 + place for discs






INFORMATION

- + Simplify marking of thin and stripped wires , excellent tools for combination marking
- + Shorten installation time
- + PAV – the U-shape enables faster installation when different wire diameters are mixed.
- + PAD-3, -4 and -5 can also be used mounting the flat heatshrink tube from our PH-range


DIMENSIONS

TYPE	LENGTH [L mm]	DIAMETER [D1 mm]	DIAMETER [D2 mm]
PYD-1*	100	2.0	1.0
PAD-3*	100	3.1	1.8
PAD-4*	100	4.2	2.5
PAD-5*	100	5.0	2.5
PAV-02M	124	3.8	-
PAV-10M	130	5.0	-

* M - metall, T - tyflon.



APPLICATION



INFORMATION

- + Marker pen with fine tip
- + Perfect for writing on clean flat surfaces
- + The ink reacts with the material that makes the text resistant to abrasion.

PROPERTIES AND DIMENSIONS

TYPE	LENGTH [mm]	THICKNESS TIP [mm]	COLOR
MTP-F	140	0.35	black





INFORMATION

- + Flexible spiral tube for fitting cables, conductors, tubes, wire bundles etc.
- + Excellent protection against mechanical wear.
- + Permits flexible connection between cabinet and door mounted units.
- + Also available in halogen free version (SPZ)
- + Snap-into fastener for holding tube in holed mounting plates.

PROPERTIES

Temperature range
-30°C to +60°C


Material
PVC

Standard colour
grey, black

Fixing
snap-into fastener of spiral tube in holed mounting plates.


DIMENSIONS AND PACKAGING

TYPE	INTERNAL DIAMETER [mm]	OUTSIDE DIAMETER [mm]
SP-08	8	10
SP-10	10	13
SP-15	15	18.4
SP-20	20	24
SP-25	25	29
SP-30	30	34.6
SP-40	40	45
SP-50	50	55



MOUNTING

TYPE	MAX. THICKNESS PLATE	MOUNTING HOLE	PACKAGING
SPH-1	3.2 mm	6.2 mm	50 pcs



APPLICATION



INFORMATION

- + High quality PVC electrical insulating tape.
- + Non-flammable, self-extinguishing in accordance with BS3924.
- + Perfect for the isolation of wires and cables and securing them against electrolytic corrosion.
- + Characterized by very high viscosity.

PROPERTIES

Temperature range
0°C to +40°C


Material
PVC


Standard colour
black, yellow-green

Self-extinguishing, multi colour electrical tape with very good technical parameters.

DIMENSIONS AND PACKAGING

TYPE	DIMENSIONS	THICKNESS [mm]	PACKAGING
IT	19 mm x 20 m	0.15	8 pcs





INFORMATION


- + Handy to use with Partex PK- and PO sleeves and PM, PKH/POH holders.
- + Self-locking with high firmness
- + Available for indoor and outdoor installation.
- + Manufactured in accordance with mil standard M20693B and in conformity with UL94V-2.

PROPERTIES

Temperature range
-40°C to +85°C

Material
Nylon 6.6, in accordance with UL94-V2
Possibility to order ties UV resistant.

Standard colour
Black and Natural



DIMENSIONS AND PACKAGING

Standard cable ties

TYPE	DIMENSIONS (mm)	MAX. DIAMETER (mm)	TENSILE STRENGTH (kg)	PACKAGING
PKB24080A*	80 x 2.4	15	8	 100 pcs
PKB25100A#	100 x 2.5	18	8	
PKB48120A*	120 x 4.8	24	22	
PKB36140A*	140 x 3.6	33	13	
PKB25160A*	160 x 2.5	40	8	
PKB48160A*	160 x 4.8	38	22	
PKB25200Aα	200 x 2.5	50	8	
PKB36200A0	200 x 3.6	50	13	
PKB48200A*	200 x 4.8	50	22	
PKB36300A*	300 x 3.6	76	13	
PKB48300A*	300 x 4.8	76	22	
PKB48365A*	370 x 4.8	102	22	

* = Black (0) or natural (9). # = Black (0), Natural (9) or light blue (N6L). α = Black (0), natural (9), light green (N5L) or light red (N2L).



Heavy duty cable ties

TYPE	DIMENSIONS (mm)	MAX. DIAMETER (mm)	TENSILE STRENGTH (kg)	PACKAGING
PKB76150A0	150 x 7.6	36	55	 100 pcs
PKB76200A0	240 x 7.6	66	55	
PKB76370A0	370 x 7.6	100	55	
PKB90430A*	430 x 9.0	110	75	
PKB90710A0	710 x 9.0	140	75	

* = Black (0) or natural (9).



Cable ties for out door use

TYPE	DIMENSIONS [mm]	MAX. DIAMETER [mm]	PACKAGING
PKB25100AOUV	100 x 2.5	18	 100 pcs
PKB25160AOUV	160 x 2.5	40	
PKB36140AOUV	140 x 3.6	33	
PKB36200AOUV	200 x 3.6	50	
PKB36300AOUV	300 x 3.6	76	
PKB48200AOUV	200 x 4.8	50	
PKB48300AOUV	300 x 4.8	76	
PKB48365AOUV	370 x 4.8	102	
PKB76300AOUV	300 x 7.6	76	
PKB76370AOUV	370 x 7.6	102	



Cable ties with metal filings

TYPE	DIMENSIONS [mm]	MAX. DIAMETER [mm]	PACKAGING
PBK25200MB	200	2.5	 100 pcs
PBK48186MB	186	4.8	
PBK48360MB	360	4.8	
PBK76338MB	338	7.6	



Identification cable tie

TYPE	DIMENSIONS [mm]	MAX. DIAMETER [mm]	TENSILE STRENGTH [kg]	MARKING SURFACE [mm]	PACKAGING
PKB-100FM	100 x 2.5	36	8	25 x 8	 100 pcs
PKB-200WM	200 x 4.8	45	22	28 x 13	

PKB-200WM




PKB-100FM




Cable ties

TYPE	DIMENSIONS [mm]	MAX. DIAMETER [mm]	TENSILE STRENGTH [kg]	MARKING SURFACE [mm]	HOLE [mm]	PACKAGING
PKB46200A9-SM	200 x 4.6	46	20	32	6.4	 100 pcs




Cable tie with screw fixing

TYPE	DIMENSIONS [mm]	PACKAGING
PBK25200MB	200 x 2.5	 100 pcs
PBK48186MB	186 x 4.8	
PBK48360MB	360 x 4.8	
PBK76338MB	338 x 7.6	




Ready-made kit

TYPE	LENGTH [mm]	WIDTH [mm]	ENTRIES	MAX BUNDLE TAPE WIDTH [mm]	PACKAGING
PKB-1/4	-	-	-	-	 100 pcs
PKB-2/4	28	28	4	5.0	




APPLICATION





Fastening cradle

TYPE	HEIGHT [mm]	LENGTH [mm]	WIDTH [mm]	MAX. WIDTH TIES [mm]	HOLE [mm]	PACKAGING
PKB-SM2	7	15	10	5.0	7	 100 pcs
PKB-SM3	9	23	16	9.0	9	

APPLICATION






INFORMATION

- + PLB - books with ready sets of characters
- + PLC - Cards with pre-printed markers
- + PLD - Applicators of letters and numbers
- + PLL - Labels for laser printers + laminating
- + PLT - polyester labels, thermal paper, laminating


TYPES OF LABELS



PLT - POLYESTER LABELS



SHEETS WITH PRE-PRINTED LABELS: 0-96, A-Z



LABELS FOR LASER PRINTER A4,
POLYESTER OR PAPER



SHEETS WITH PRE-PRINTED SYMBOLS:
L1, L2, L3, PE, PEN, GROUND IN A CIRCLE, GROUND,
+, -, ETC



LABEL SHEETS IN A4 FORMAT



PLD - APPLICATORS WITH LETTERS AND
FIGURES



INFORMATION

- + Compact, fast and portable printer to cover most of your marker needs.
- + Easy to operate with Partex product menu.
- + Feeds, prints and cuts bulk Partex profiles and self adhesive labels.
- + Store and import markerfiles with a USB - PC connection.
- + Cost effective identification system for use in panel building and electrical installations.

PROPERTIES

Temperature range

Operating temperature: +15°C – +32,5°C
Operating temperature with pre-heater: from +5°C
Storage temperature: +5°C – +35°C
To obtain the best printing result, the temperature of the profile shouldn't be lower then: +20°C

Thermal transfer printing

300 dpi print resolution

Printing speed

18.5 mm/s - low speed mode
25 mm/s - standard mode
40 mm/s - high speed mode

Text heights

13, 2, 3, 4 or 6mm

Maximum rows that can be printed:

1-3 rows

PC connection

USB 2.0 and Partex software WinSign

Internal Memory

15000 characters

Number of characters to be sent to PC

No limits with WinSign T-800

Power

Power Supply 100 ~ 240 V AC (50 ~ 60 Hz)
Power: 13 W
Certified with CE mark

Dimensions

(L x W x H): 250 x 300 x 85 mm

Weight

2 kg

KIT CONTENTS

- + PROMARK T-800, soft carrying case,
- + AC adapter, power cord,
- + Ink ribbon, black, 40 m,
- + Profile guide
- + USB cable,
- + software,
- + reel stand
- + PO-068TWSN4, PO-05000SN4

SPECIFICATION

- + ProMark T-800 is a successor of our most popular profile printer MK9-USB. Complemented with new options, such us Polish and Russian font, and menu with Partex article numbers, is a perfect solution for installers and producers of controls cabinets and panel boards.
- + Low weight, small size, as well as inbuilt memory allows to work with the printer outdoors. The library of electrical symbols enables you to print objects such us Ω , , etc.
- + An additional asset will be the menu with Partex products indexes. After selecting the type of a profile, T-800 will automatically choose the position of text and the depth of the cut.
- + The backlit display and QWERTY keyboard allows entering additional symbols very quickly. The advanced projects can be sent to T-800 via the new, English version of WinSign software, which enables you to import Excel files with the "copy and paste" function.

PROFILES TO PRINT


- + PO and POZ profiles with diameters of 1.3 – 5.5 mm (POZ is the halogen-free version)
- + PHZ – round, halogen-free, heat shrinkable tubes with diameters 2.4 – 6.4 mm before shrinking
- + PHZF – flat, halogen-free, heat shrinkable tubes with diameters 2.4 – 6.4 mm before shrinking
- + PP profile – height of 4.6 and 9.0 mm compatible with profiles: PT+/PTC/PTZ and PM, PTM, PS
- + PP profile – height of 6.3, 10.0 and 11.0 mm compatible with Wago connectors (TopJobs), Phoenix Contact, Etrelec
- + PPA – self-adhesive profile
- + PO-068 profile – used for marking cables with PKH and POH holders
- + T800-PLL – self laminating marker for wires and cables
- + T800-PL – adhesive tape with a width of 6mm, 9mm and 12mm available in the form of cassettes which you place into the printer

ACCESSORIES

TYPE	DESCRIPTION
T800-RB-BLACK	black ribbon 100 m
T800-RB-WHITE	white ribbon 85 m
T800-CU	cutting unit
T800-TA	tube attachment
T800-TA-CLEAN	cleaning kit guide for tube attachment (3 pcs)
T800-PA	plate attachment
T800-PA-CLEAN	cleaning kit guide for plate attachment (3 pcs)
T800-TW	profile warmer
T800-TW-CLEAN	Cleaning kit guide for the profiles heater (3 pcs)
T800-AF	profile feeder
T800-HC	aluminium case
MK-RS	reel stand
MK-RS3	small reel stand



MK-RS



MK-RS3



T800-HC

PO-PROFILE

TYPE	HALOGENE FREE VERSION	DIAMETER [mm] [min/max]	CROSS SECTIONAL AREA [mm²]	PACKAGING
P0-01	P0Z01	13/18	0.25	6 m
P0-02	P0Z02	17/22	0.5	60 m / 5 m
P0-03	P0Z03	2.0/2.5	0.75	50 m / 5 m
P0-04	P0Z04	2.2/2.8	1.0	50 m / 4.5 m
P0-05	P0Z05	2.7/3.5	1.5	50 m / 4.5 m
P0-06	P0Z06	3.2/4.0	2.5	40 m / 4 m
P0-06Q**	-	-	-	40 m / 3.5 m
P0-068Q**	PKZ20Q	-	-	50 m / 25 m
P0-068TW	PKZ20	6.8/7.0	-	40 m / 3.5 m
P0-07	P0Z07	3.8/4.7	4.0	30 m / 3.5 m
P0-08	P0Z08	4.6/5.5	6.0	30 m / 3 m

STANDARD COLOUR: yellow, white. Others on request. * Mounting with marker holder POH or PKH ** Mounting with cable tie



P0/P0Z
SEE PAGE 36



P0-068
SEE PAGE 36

HEATSHRINKABLE TUBES PHZ

TYPE	DIAMETER BEFORE SHRINKING [mm]	DIAMETER AFTER SHRINKING [mm]	PACKAGING
PHZ20024	2.4	12	100 m
PHZ20032	3.2	16	100 m
PHZ20048	4.8	24	75 m
PHZ20064	6.4	32	75 m

STANDARD COLOURS: yellow, white. Other on request.



PHZ
SEE PAGE 38

FLAT HEATSHRINKABLE TUBES PHZF

TYPE	DIAMETER BEFORE SHRINKING [mm]	DIAMETER AFTER SHRINKING [mm]	PACKAGING
PHZF20024	2.4	12	100 m / 25 m
PHZF20032	3.2	16	100 m / 25 m
PHZF20048	4.8	24	100 m / 25 m
PHZF20064	6.4	32	100 m / 25 m

STANDARD COLOURS: yellow, white. Other on request.



PHZF
SEE PAGE 40



PP+ PROFILE

TYPE	HEIGHT [mm]	FIT FOR	PACKAGING
PP+046	4.6	PT+, PTC, PTZ, PM-10	50 m / 17 m
PP+063	6.3	terminals Phoenix Contact *	50 m / 17 m
PP+09	9.0	PM-20, PS	50 m / 17 m
PP+100	10.2	terminals Entrelec	50 m / 17 m
PP+110	11.0	terminals Wago (TopJobs)	50 m / 17 m
PPA+09	9.0	components	20 m / 10 m

STANDARD COLOURS: yellow, white * UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5



PT+
SEE PAGE 18



PTC
SEE PAGE 20



PM
SEE PAGE 30



PS
SEE PAGE 54



PP+
SEE PAGE 58



PPA+
SEE PAGE 58

SELF ADHESIVE LABELS


TYPE	HEIGHT [mm]	COLOUR	LENGTH [m]	PACKAGING
T800-PL060	6	yellow, white silver	30	1 cassette
			30	
			27	
T800-PL090	9	yellow, white silver	30	1 cassette
			30	
			27	
T800-PL120	12	yellow, white silver	30	1 cassette
			30	
			27	
T800-PLL33	33 (printable area 10)	white	8	1 cassette



T800-PL



T800-PLL





INFORMATION

- + Compact heavy duty printer for high demand production for wire, cable and component marking
- + Feeds, prints and cuts bulk Partex profiles
- + MK10 is a very cost effective identification system for use in panel building and electrical installations
- + USB connection, controlled by Partex software WinSign.

PROPERTIES

Temperature range

Operating temperature: 15°C - 35°C

Storage temperature: 0°C - 40°C

To obtain the best printing result, the temperature of the profile shouldn't be lower then: 20 - 25°C

Thermal transfer printing

300 dpi print resolution

Printing speed

125 mm/s

Width of printing head

105 mm

PC connection

USB and Partex software WinSign

Operating System

Windows: 2000, 2003, XP, Vista, Windows 7

Memory

64 MB RAM

Power

110~240 V AC, (50~60 Hz)

Certified with CE mark

Dimensions

(W x D x H): 242 x 446 x 275 mm

Weight

9 kg

KIT CONTENTS

- + printer MK10,
- + cutter,
- + power cord,
- + Starting ribbon black 360 m,
- + USB cable,
- + WinSign NG software

SPECIFICATION

- + MK10 is a modern thermal transfer printer for Partex PO-profiles. The printer cover all needs of wire and cable marking and has a high production speed (up to 125 mm/sec).
- + MK10 is connected to your computer with a USB cable and is controlled by Partex software WinSign.
- + It prints on profile direct from reel and semi detaches the marker at wished lengths with the built in cutting unit.

PROFILES TO PRINT


- + PO and POZ profiles with diameters of 1.3 - 7.0mm (POZ is the halogen-free version)
- + PHZF - flat, halogen-free, heat shrinkable tubes with diameters 2.4 - 25.4 mm before shrinking
- + PP+ profile - height of 4.6 and 9.0 mm compatible with profiles: PT+/PTC/PTZ and PM, PTM, PS
- + PP+ profile - height of 6.3, 10.0 and 11.0 mm compatible with Wago connectors (TopJobs), Phoenix Contact, Etrellec
- + PPA+ - self-adhesive profile
- + PO-068 profile - used for marking cables with PKH and POH holders
- + Labels

ACCESSORIES

TYPE	DESCRIPTION
MK10-RB-R7125	Black Ribbon, width: 25mm (for PVC products), 360m
MK10-RB-R7138	Black Ribbon, width: 38mm (for PVC products), 360m
MK10-RBR71102	Black Ribbon, width: 102mm (for PVC products), 360m
MK10-RB-AXR8-55	Black Ribbon, width: 55mm (for PVC products), 360m
MK10-RB-AXR8-110	Black Ribbon, width: 110mm (for ZEREX products), 360m
MK10-RB-AXR600W-60	White Ribbon, width: 60mm (for ZEREX products) 360m
MK-RS	Reel stand
MK-RS3	Small reel stand



MK-RS



MK-RS3

PO-PROFILE

TYPE	HALOGENE FREE VERSION	DIAMETER [mm] [min/max]	CROSS SECTIONAL [mm²]	PACKAGING
P0-01	P0Z01	13/18	0.25	60m
P0-02	P0Z02	17/2.2	0.5	60 m
P0-03	P0Z03	20/2.5	0.75	50 m
P0-04	P0Z04	2.2/2.8	1.0	50 m
P0-05	P0Z05	2.7/3.5	1.5	50 m
P0-06	P0Z06	3.2/4.0	2.5	40 m
P0-06Q**	-	-	-	40 m / 3.5 m
P0-068Q**	PKZ20Q	-	-	50 m / 25 m
P0-068TW	PKZ20	6.8/7.0	-	40 m
P0-07	P0Z07	3.8/4.7	4.0	30 m
P0-08	P0Z08	4.6/5.5	6.0	30 m
P0-09	P0Z09	5.6/7.0	10.0	50 m
P0-10	P0Z10	6.5/8.0	16.0	50 m

STANDARD COLOUR: yellow, white. Others on request. * Mounting with marker holder POH or PKH ** Mounting with cable tie



P0/P0Z
SEE PAGE 36



P0-068
SEE PAGE 36

FLAT HEATSHRINKABLE TUBES PHZF

TYPE	DESCRIPTION	PACKAGING
PHZF20024	flat heat shrink 2.4 / 12 mm	100 m / 25 m
PHZF20032	flat heat shrink 3.2 / 16 mm	100 m / 25 m
PHZF20048	flat heat shrink 4.8 / 2.4 mm	100 m / 25 m
PHZF20064	flat heat shrink 6.4 / 3.2 mm	100 m / 25 m
PHZF20095	flat heat shrink 9.5 / 4.8 mm	75 m
PHZF20127	flat heat shrink 12.7 / 6.4 mm	50 m
PHZF20190	flat heat shrink 19.0 / 9.5 mm	50 m
PHZF20254	flat heat shrink 25.4 / 12.7 mm	50 m
PHZF20380	flat heat shrink 38.0 / 19.1 mm	50 m

STANDARD COLOUR: yellow, white. Others on request.



PHZF
SEE PAGE 40

PP+ PROFILE

TYPE	HEIGHT [mm]	FIT FOR	PACKAGING
PP+046	4.6	PT+, PTC, PTZ, PM-10	50 m / 17 m
PP+10	10.2	terminals Phoenix Contact *	50 m / 17 m
PP+063	6.3	PM-20, PS	50 m / 17 m
PP+09	9.0	terminals Entrellec	50 m / 17 m
PP+110	11.0	terminals Wago (TopJobs)	50 m / 17 m
PPA+09	9.0	components	20 m / 10 m

STANDARD COLOUR: yellow, white. * UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5



PT+
SEE PAGE 18



PTC
SEE PAGE 20



PM
SEE PAGE 30



PTM
SEE PAGE 32



PS
SEE PAGE 54



PP+
SEE PAGE 58



PS
SEE PAGE 54

PPQ

TYPE	HEIGHT [mm]	LENGTH [mm]	PACKAGING
PPQ+10040	10	40	500 pcs
PPQ+10060	10	60	333 pcs
PPQ+10080	10	80	250 pcs
PPQ+19040	19	40	500 pcs
PPQ+19060	19	60	333 pcs
PPQ+19080	19	80	250 pcs
PPQ+38060	38	60	333pcs
PPQ+38080	38	80	250 pcs
PPQ+38100	38	100	200 pcs

STANDARD COLOUR: yellow, white. MOUNTED with cable tie.



PPQ+
SEE PAGE 34





INFORMATION

- + Prints on both sides of the profile. (Dual printing heads)
- + Compact heavy duty printer for high demand production of wire, cable and component markings.
- + Feeds, prints and cuts bulk Partex profiles.
- + USB connection, controlled by Partex software WinSign.

PROPERTIES

Temperature range

Operating temperature: +10°C to +35°C

To obtain the best printing result, the temperature of the profile shouldn't be lower then: +25 °C

Working conditions:

Humidity: 30 - 85 %

Thermal transfer printing

300 dpi print resolution

Width of printing head

105 mm

PC connection

USB and Partex software WinSign

Power supply

100 ~ 240V (50-60Hz)

Power consumption: Max 300 W

CE-certified

Dimensions

(L x W x H): 554 x 248 x 395 mm

Weight

21 kg

KIT CONTENTS

- + MK10-DH,
- + power cord,
- + Starting ribbon black 360 m,
- + USB cable
- + WinSign NG software.

SPECIFICATION

- + MK10-DH is a modern thermal transfer printer for Partex profiles for all needs of wire and cable marking with high production speed (up to 125 mm/sec).
- + MK10-DH has a direct connection to computer by mean of USB cable and is controlled by Partex software WinSign. It prints on both sides of the profile direct from reel and semi detaches the marker at wished lengths with the built in cutting unit.

PROFILES TO PRINT

- + P0 and P0Z profiles with diameters of 1.3 – 7.0mm (P0Z is the halogen-free version)
- + PHZF – flat, halogen-free, heat shrinkable tubes with diameters 2.4 – 25.4 mm before shrinking
- + PP+ profile – height of 4.6 and 9.0 mm compatible with profiles: PT+/PTC/PTZ and PM, PTM, PS
- + PP+ profile – height of 6.3, 10.0 and 11.0 mm compatible with Wago connectors (TopJobs), Phoenix Contact, Etrellec
- + PPA – self-adhesive profile
- + P0-068 profile – used for marking cables with PKH and POH holders

ACCESSORIES

TYPE	DESCRIPTION
MK10-RB-R7125	Black Ribbon, width: 25mm (for PVC products), 360m
MK10-RB-R7138	Black Ribbon, width: 38mm (for PVC products), 360m
MK10-RB-R71102	Black Ribbon, width: 102mm (for PVC products), 360m
MK10-RB-AXR8-55	Black Ribbon, width: 55mm (for PVC products), 360m
MK10-RB-AXR8-110	Black Ribbon, width: 110mm (for ZEREX products), 360m
MK10-RB-AXR600W-60	White Ribbon, width: 60mm (for ZEREX products) 360m
MK-RS	Reel stand
MK-RS3	Small reel stand



MK-RS



MK-RS3

PO-PROFILE

TYPE	HALOGENE FREE VERSION	DIAMETER [mm] [min/max]	CROSS SECTIONAL [mm²]	PACKAGING
P0-01	POZ01	13/18	0.25	60 m
P0-02	POZ02	17/22	0.5	60 m
P0-03	POZ03	2.0/2.5	0.75	50 m
P0-04	POZ04	2.2/2.8	1.0	50 m
P0-05	POZ05	2.7/3.5	1.5	50 m
P0-06	POZ06	3.2/4.0	2.5	40 m
P0-06Q**	-	-	-	40 m / 3.5 m
P0-068Q**	PKZ20Q	-	-	50 m / 25 m
P0-068TW	PKZ20	6.8/7.0	-	40 m
P0-07	POZ07	3.8/4.7	4.0	30 m
P0-08	POZ08	4.6/5.5	6.0	30 m
P0-09	POZ09	5.6/7.0	10.0	50 m
P0-10	POZ10	6.5/8.0	16.0	50 m

STANDARD COLOUR: yellow, white. Others on request. * Mounting with marker holder POH or PKH ** Mounting with cable tie



P0/POZ
SEE PAGE 36



P0-068
SEE PAGE 36

FLAT HEATSHRINKABLE TUBES

TYPE	DIMENSIONS	PACKAGING
PHZF20024	flat heat shrink 2.4 / 1.2 mm	100 m / 25 m
PHZF20032	flat heat shrink 3.2 / 1.6 mm	100 m / 25 m
PHZF20048	flat heat shrink 4.8 / 2.4 mm	100 m / 25 m
PHZF20064	flat heat shrink 6.4 / 3.2 mm	100 m / 25 m
PHZF20095	flat heat shrink 9.5 / 4.8 mm	75 m
PHZF20127	flat heat shrink 12.7 / 6.4 mm	50 m
PHZF20190	flat heat shrink 19.0 / 9.5 mm	50 m
PHZF20254	flat heat shrink 25.4 / 12.7 mm	50 m
PHZF20380	flat heat shrink 38.0 / 19.1 mm	50 m

STANDARD COLOUR: yellow, white. Others on request.



PHZF
SEE PAGE 40

PP+ PROFILE

TYPE	HEIGHT [mm]	FIT FOR	PACKAGING
PP+046	4.6	PT+, PTC, PTZ, PM-10	50 m / 17 m
PP+10	10.2	terminals Phoenix Contact *	50 m / 17 m
PP+063	6.3	PM-20, PS	50 m / 17 m
PP+09	9.0	terminals Entrellec	50 m / 17 m
PP+110	11.0	terminals Wago (TopJobs)	50 m / 17 m
PPA+09	9.0	components	20 m / 10 m

STANDARD COLOUR: yellow, white. * UT2.5, UTTB2.5, ST4, DT2.5, QTC, DTI2.5



PT+
SEE PAGE 18



PTC
SEE PAGE 20



PM
SEE PAGE 30



PTM
SEE PAGE 32




PS
SEE PAGE 54



PP+
SEE PAGE 58





INFORMATION

- + Plotter model in A4-size
- + Works with the latest version of PMS 5.0 and creates a universal tool to identify wires, cables, cameras and terminal strips from different manufacturers
- + Saves time and money
- + The compact design allows the production of markers on site.
- + Controlled by a computer with the software PMS
- + After installing special snap-engraving, plotter capabilities are extended to the production of durable, UV-resistant signs.

PROPERTIES

Temperature range

Operating temperature: 10°C - 35°C
Storage temperature: -10°C - 50°C
Recommended profile temperature: 20°C

Control

Controlled with Partex software PMS 5.0 via the USB port

Power

Power Supply 230 V, 60 Hz

Text height and width

The text is automatically selected to fit selected profile type and selected number of rows. Software PMS offers 24 fonts including Polish and Russian.

Plotter pens

Plotter pens can be refilled.
There are also disposable plotter pens.
Pen thickness between 0.18 - 1.0 mm.

Dimensions


660 x 440 x 125 mm

Weight

8 kg

KIT CONTENTS

- + plotter MK500-A4,
- + power cord,
- + software,
- + disposable pen 0.35mm



SPECIFICATION

- + MK500 - A4 is a highly efficient plotter designed for professional applications
- + The plotter is used to print on markers for wires, cables, electrical equipment and terminal strips.
- + The software allows you to import files from e.g. Excel and Word.
- + The plotter can install with a special „head“ that allows you to engrave plates your own plates.



ACCESORIESS

TYPE	DESCRIPTION
MK1-CF	cleaning cartridges
MK1- REFILL	waterproof ink - refill



MK-CLEAN

PLOTTER PENS

TYPE	DESCRIPTION	BODY COLOUR ON PEN
MK-PEN-018	Plotter pen, tip of pen 0.18mm	Red
MK-PEN-025	Plotter pen, tip of pen 0.25mm	White
MK1-PEN-D-025	Plotter pen, tip of pen 0.25mm (no refill)	White
MK-PEN-035	Plotter pen, tip of pen 0.35mm	Yellow
MK1-PEN-D-035	Plotter pen, tip of pen 0.35mm (no refill)	Yellow
MK-PEN-050	Plotter pen, tip of pen 0.50mm	Brown
MK-PEN-070	Plotter pen, tip of pen 0.70mm	Blue
MK-PEN-100	Plotter pen, tip of pen 1.00mm	Orange




PLOTTER PEN

PLATES

TYPE	DESCRIPTION
MK500-PA+02ST	Plates for PA+02 / PAZ+02 strips
MK500-PA+1ST	Plates for PA+1 / PAZ+1 strips
MK500-PA+2	Plates for PA+2
MK500-PK2	Plates for PK2 / PKZ2
MK500-PK2ST	Plates for PK2 strips
MK500-PC10/20	Plates for PC10 and PC20
MK500-PC30/40	Plates for PC30 and PC40
MK500-PFC	Plates for PFC
MK500-POH	Plates for POH
MK500-PS	Plates for PS
MK500-TX61	Plates for TX-61
MK500-TX96	Plates for TX-96



PLATES



INFORMATION

- + Provides complete customized marking for cables, wires, terminal blocks and components.
- + Automatically returns the pen to the storage station so the tip of the pen doesn't dry.
- + MK500 can print on these Partex products: PA+, PC, PK, POH, TX and PS.

PROPERTIES

Temperature range
Operating temperature: 10°C - 35°C
Storage temperature: -10°C - 50°C
Recommended profile temperature: 20°C

Power supply
110~240 V AC, (50~60 Hz)

Control
software controlled via the parallel port (LPT) or USB.

Text height and width
The text is automatically selected to fit selected profile type and selected number of rows. Software PMS offers 9 fonts including Polish and Russian.

Plotter pens
Plotter pens can be refilled.
There are also disposable plotter pens.
Pen thickness between 0.18 - 1.0 mm.

Dimensions
660 x 440 x 125 mm

Weight
8 kg


KIT CONTENTS

- + ploter MK500,
- + power cord,
- + software PMS,
- + plotter pen 0.35 mm
- + container and cleaning fluid 2 x 10 ml
- + Ink 5 x 1ml



INFORMATION

- + MK500 is a highly efficient plotter to print markers for cables, wires, terminal blocks and components.
- + The MK500 system includes a plotter and plates for Partex wire-, cable-, component- and terminal markers.
- + The software allows you to import eg. Excel and Word files.
- + The device automatically returns the pen to the base station.
- + After completion of printing the pen is automatically placed in the base station. This prevents the pen tip from drying.



ACCESSORIES

TYPE	DESCRIPTION
MK1-CF	cleaning cartridges
MK1- REFILL	waterproof ink - refill



MK-CLEAN

PLOTTER PENS

TYPE	DESCRIPTION	BODY COLOUR ON PEN
MK-PEN-018	Plotter pen, tip of pen 0.18mm	Red
MK-PEN-025	Plotter pen, tip of pen 0.25mm	White
MK-PEN-025D	Plotter pen, tip of pen 0.25mm (no refill)	White
MK-PEN-035	Plotter pen, tip of pen 0.35mm	Yellow
MK-PEN-035D	Plotter pen, tip of pen 0.35mm (no refill)	Yellow
MK-PEN-050	Plotter pen, tip of pen 0.50mm	Brown
MK-PEN-070	Plotter pen, tip of pen 0.70mm	Blue
MK-PEN-100	Plotter pen, tip of pen 1.00mm	Orange



PLOTTER PEN

PLATES

TYPE	DESCRIPTION
MK500-PA+02ST	Plates for PA+02 / PAZ+02 strips
MK500-PA+1ST	Plates for PA+1 / PAZ+1 strips
MK500-PA+2	Plates for PA+2
MK500-PK2	Plates for PK2 / PKZ2
MK500-PK2ST	Plates for PK2 strips
MK500-PC10/20	Plates for PC10 and PC20
MK500-PC30/40	Plates for PC30 and PC40
MK500-PFC	Plates for PFC
MK500-POH	Plates for POH
MK500-PS	Plates for PS
MK500-TX61	Plates for TX-61
MK500-TX96	Plates for TX-96
MK500-TX61	MK500-TX61
MK500-TX96	MK500-TX96



PLATES

WIRE MARKERS PA+,PAZ+

TYPE	DIAMETER AREA	LENGTH [mm]	QTY	PLATES	PACKAGING
PA+02 / PAZ+02	~13 - 3.0 mm ~0.25 - 15 mm ²	15	10 x 12	MK500-PA+02ST	1008 pcs.
		21	10 x 9		1008 pcs.
		27	10 x 7		1001 pcs.
		36	10 x 5		650 pcs.
		42	10 x 4		520 pcs.
PA+1 / PAZ+1	~2.5 - 5.0 mm ~1.5 - 4.0 mm ²	15	10 x 12	MK500-PA+1ST	1008 pcs.
		21	10 x 9		1008 pcs.
		27	10 x 7		1001 pcs.
		36	10 x 5		650 pcs.
		42	10 x 4		520 pcs.
PA+2 / PAZ+2	~4.0 - 10.0 mm ~2.5 - 16.0 mm ²	15/21/27/36	40 x 1	MK500-PA+2L	100 pcs.


STANDARD COLORS: yellow, white. MATERIAL: PA + - soft PVC, PAZ + (halogen-free) - soft zertex.



PA+

OPEN WIRE MARKERS


TYPE	DIAMETER AREA	LENGTH [mm]	QTY	PLATES	PACKAGING
PC-10	~2.4 - 3.0 mm ~0.4 - 15 mm ²	15/21/27/36	50 x 1	MK500-PC10	100 pcs.
PC-20	~3.0 - 4.0 mm ~1.5 - 3.0 mm ²	15/21/27/36	50 x 1	MK500-PC20	100 pcs.
PC-30	~4.0 - 5.0 mm ~3.0 - 4.0 mm ²	15/21/27/36	50 x 1	MK500-PC30	100 pcs.
PC-40	~5.0 - 6.2 mm ~4.0 - 5.0 mm ²	15/21/27/36	50 x 1	MK500-PC40	100 pcs.



PC

TERMINAL BLOCK MARKERS TX

TYPE	LENGTH OF MARKER [mm]	QTY PER PLATE	PLATES	TERMINAL BLOCK PHOENIX CONTACT	TERMINAL BLOCK WEIDMULLER	TERMINAL BLOCK WAGO	TERMINAL BLOCK ENTRELEC	PACKAGING
TX-96052	5.2	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96060	6.0	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96062	6.2	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96073	7.3	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96080	8.0	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96082	8.2	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96100	10.0	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96102	10.2	18 x 10	MK500-TX96	✓		✓		100 pcs.
TX-96120	12.0	18 x 6	MK500-TX96	✓		✓		100 pcs.
TX-96141	14.1	18 x 6	MK500-TX96	✓		✓		100 pcs.
TX-96151	15.1	18 x 6	MK500-TX96	✓				100 pcs.
TX-61051	5.1	18 x 10	MK500-TX61		✓		✓	100 pcs.
TX-61061	6.1	18 x 10	MK500-TX61		✓		✓	100 pcs.



TX

CABLE MARKER POH

TYPE	LENGTH [L1 mm]	WIDTH [w2 mm]	AREA FOR MARKING [mm]	QTY PER PLATE	PLATE	PACKAGING
POH07	60.0	9.5	9.5 x 27.0	16 x 1	MK500-POH	100 pcs.
POH12	82.0	9.5	9.5 x 50.0	16 x 1	MK500-POH	
POH18	110.0	9.5	9.5 x 75.0	16 x 1	MK500-POH	

STANDARD COLOR: yellow, white. On request: red, blue, green. MATERIAL: hard PVC.



POH

CABLE MARKER PK

TYPE	LENGTH [mm]	QTY PER PLATE	PLATE	MOUNTED WITH	PACKAGING
PK-2 / PKZ2	15/21/27	36 x 1	MK500-PK2	POH 07 or PKH70 + 2 PKB	20 pcs.
PK-20Q / PKZ20Q Z OTWORAMI	25	36 x 1	MK500-PK2	1 PKB	20 pcs.
	40	36 x 1	MK500-PK2	2 PKB	20 pcs.
PK-20 WIĄZKI	21	6 x 9	MK500-PK2ST	POH 07 or PKH70 + 2 PKB	265 pcs.
	36	6 x 5	MK500-PK2ST		255 pcs.
	57	6 x 3	MK500-PK2ST	POH 12 or PKH110 + 2 PKB	150 pcs.
	84	6 x 2	MK500-PK2ST	POH 18 + 2 PKB	100 pcs.

STANDARD COLORS: yellow, white. MATERIAL: PK - soft pvc, PKZ (halogen-free) - soft Zerex



PK 20

PK-20Q - PRE PUNCHED

PK-20 STRIPS

COMPONENT MARKERS PS

TYPE	AREA FOR MARKING	QTY PER PLATE	PLATE	PACKAGING
PS-20018	17.5 (1 module)	36 x 1	MK500-PS	20 pcs.
PS-20035	35.0 (2 module)	36 x 1	MK500-PS	20 pcs.
PS-20052	52.5 (3 module)	36 x 1	MK500-PS	20 pcs.



PS

PFC CARDS

TYPE	LENGTH [mm]	WIDTH [mm]	MATERIAL	NUMBER OF LABELS / CARD	MOUNTED WITH	PACKAGING
PFC042	12	4.5	ABS	21 / card	PT+, PTC, PM-10, PTZ+	25 cards
	15	4.5	ABS	21 / card		25 cards
	18	4.5	ABS	21 / card		25 cards
	21	4.5	ABS	21 / card		25 cards
	30	4.5	ABS	14 / card		25 cards
PFC07533	33	7.5	ABS	9 / card	PTZ+	25 cards
PFC09518	18	9.5	ABS	20 / card	PM-20, PM-24, PS-20	25 cards
PFC09540	40	9.5	poliamid	8 / card	2 PKB	25 cards
PFC09580	80	9.5	poliamid	4 / card	2 PKB	25 cards

STANDARD COLORS: yellow, white.



INFORMATION

- + Professional machine to produce large amounts of markers for cables, wires and electrical equipment.
- + Controlled by a computer with Partex software WinSign or a optional standard keyboard.
- + Prints markers PQ, P0Z and PHZ shrink to a diameter of 28mm (after flattening 45 mm).
- + Improved mechanism for quality printing on hardened tubes in low temperature environment.
- + The ability to semi- or full cut profiles.

PROPERTIES

Temperature range
10 - 35°C

Type of print
thermal transfer

Resolution
300 dpi

Characters
96 characters: 0- 9, A-Z, +, -, /, *, & signs etc

Character sizes and orientation
2.4 x 2.4 horizontal and vertical
2.0 x 1.2 horizontal and vertical
3.0 x 2.4 horizontal and vertical
5.0 x 3.0 horizontal
18 x 1.8 horizontal and vertical
18 x 0.9 horizontal and vertical
2.7 x 2.1 horizontal
2.4 x 1.2 horizontal and vertical

Production capacity
About 4.500 pcs. per hour (5 digits, 1-line marker on 20 mm long sleeve).

Data Storage
Max 1000 lines can be stored in the memory of machine back up by internal rechargeable battery.

Control
Controlled with Partex WinSign software.
Ability to enter text via the keyboard.

Power supply
110~240 V AC, (50~60 Hz)

Dimensions
(L x W x H): 435 x 290 x 290 mm

Weight
15 kg



SPECIFICATION

- + SP-2000 is a highly efficient machine for the production of large amounts of markers for cables, wires and electrical components
 - + The machine prints on a wide range of sizes of PO-profiles POZ (halogen free) and PHZ (heat shrink).
- + Half cuts, or fully cuts the profile.
 - + In the case of data input by keyboard, the LCD display shows you all information

ACCESORIESS AND PACKAGING

TYPE	DESCRIPTION	PACKAGING
MK20-SP2000-CABLE	Data cable for connection to PC (COM-PORT)	1 pcs.
MK20-SP2000-CBP	Cushion for knife	10 pcs.
MK20-SP2000-CKN	Cutter knife kit	10 pcs.
SP1W-S611-20	Black ribbon 200m for PO-products	200 m
SP1W-S619-20	Black ribbon 200m for POZ and PH-products	200 m
SP1W-S625-20	White ribbon 200m for PO-products	200 m
SP1W-S629-20	White ribbon 100m for POZ and PH-products	100 m
SP1W-S631-20	Red ribbon 200m for PO-products	200 m
SP1W-STV	Optional unwinding reel stand	1 pcs.

KIT CONTENTS

- + MK20-SP2000 printer,
 - + WinSign software,
 - + ribbon black 200 m,
- + connection cable to PC,
 - + knife,

CABLE MARKER PO/POZ

TYPE	HALOGENE FREE VERSION	DIAMETER (mm) [min/max]	AREA (mm²)	PACKAGING
PO-01	POZ01	13/18	0.25	50 m or 250 m
PO-02	POZ02	17/22	0.5	50 m or 250 m
PO-03	POZ03	20/25	0.75	50 m or 250 m
PO-04	POZ04	22/28	1.0	50 m or 200 m
PO-05	POZ05	27/35	1.5	40 m or 200 m
PO-06	POZ06	32/40	2.5	40 m or 200 m
PO-068*	PRZ071*	6.8/7.0	-	4.5 m or 50m
PO-07	POZ07	38/4.7	4.0	25 m or 100 m
PO-08	POZ08	4.6/5.5	6.0	25 m or 100 m
PO-09	POZ09	5.6/7.0	10.0	50 m
PO-10	POZ10	6.5/8.0	16.0	50 m
PO-12	POZ12	7.5/10.0	20.0	50 m
PO-14	POZ14	9.5/12.0	25.0	50 m
PO-16	POZ16	11.5/14.0	35.0	10 m
PO-18	POZ18	13.5/16.0	50.0	10 m
PO-20	POZ20	15.5/18.0	70.0	10 m
PO-22	POZ22	17.5/20.0	95.0	10 m
PO-24	POZ24	19.5/22.0	120.0	10 m
PO-26	POZ26	21.5/24.0	150.0	10 m
PO-28	POZ128	24.0/28.0	185.0	10 m

STANDARD COLOUR: yellow, white. Others on request. * Mounting with marker holder POH or PKH



PO/POZ
SEE PAGE 36

HEAT SHRINK PHZ

TYPE	DESCRIPTION	PACKAGING
PHZ20024	heat shrink 2.4 / 12 mm	100 m / 25 m
PHZ20032	heat shrink 3.2 / 16 mm	100 m / 25 m
PHZ20048	heat shrink 4.8 / 24 mm	100 m / 25 m
PHZ20064	heat shrink 6.4 / 32 mm	100 m / 25 m
PHZ20095	heat shrink 9.5 / 48 mm	75 m
PHZ20127	heat shrink 12.7 / 64 mm	50 m
PHZ20190	heat shrink 19.0 / 95 mm	50 m
PHZ20254	heat shrink 25.4 / 127 mm	50 m
PHZ20380	heat shrink 38.0 / 191 mm	50 m

STANDARD COLOR: yellow, white. Others on request



PHZ
SEE PAGE 38

RELATED PRODUCTS



WINSIGN
SEE PAGE 98



INFORMATION

- + Software for Partex printers.
- + Create both direct marking and whole projects
- + Sends information to Partex's different printers to make it possible to produce markers on site
- + You can import files with marking information from Excel and some CAD systems e.g. EPLAN and ELPRO

SYSTEM REQUIREMENTS

Computer
procesor - Pentium II
RAM memory - 256 MB
hard drive - 200 MB free space

Run under these environments
Windows 2000
Windows NT
Windows ME
Windows XP
Windows Vista
Windows 7



SPECIFICATION

- + WinSign is an application that runs in Windows environment.
- + Built-in database containing information on industrial documentation and all Partex marker types.
- + WinSign projects can consist of multiple groups, such as wire markers, component markers, and/or cable markers.
- + Project can be saved and restored later.
- + Easy to use import and number generation functions ensures a efficient marker production.
- + Full version WinSign -NG - controls the following devices: MK9- NG, MK9-USB, MK1, MK3, MK10 and SP2000

RELATED PRODUCTS



PROMARK T-800
SEE PAGE 74



MK10
SEE PAGE 78



MK10-DH
SEE PAGE 82



SP2000
SEE PAGE 95



PF
SEE PAGE 56



PFA
SEE PAGE 59





TABLE OF INDEXES

TYPE	COLOUR SLEEVE / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PA2/4	yellow/black	pack 5x200 / 500 pcs	0	PA-20004*V40 0
PA2/4	yellow/black	pack 5x200 / 500 pcs	1	PA-20004*V40 1
PA2/4	yellow/black	pack 5x200 / 500 pcs	2	PA-20004*V40 2
PA2/4	yellow/black	pack 5x200 / 500 pcs	3	PA-20004*V40 3
PA2/4	yellow/black	pack 5x200 / 500 pcs	4	PA-20004*V40 4
PA2/4	yellow/black	pack 5x200 / 500 pcs	5	PA-20004*V40 5
PA2/4	yellow/black	pack 5x200 / 500 pcs	6	PA-20004*V40 6
PA2/4	yellow/black	pack 5x200 / 500 pcs	7	PA-20004*V40 7
PA2/4	yellow/black	pack 5x200 / 500 pcs	8	PA-20004*V40 8
PA2/4	yellow/black	pack 5x200 / 500 pcs	9	PA-20004*V40 9
PA2/4	yellow/black	pack 5x200 / 500 pcs	A	PA-20004*V40 A
PA2/4	yellow/black	pack 5x200 / 500 pcs	B	PA-20004*V40 B
PA2/4	yellow/black	pack 5x200 / 500 pcs	C	PA-20004*V40 C
PA2/4	yellow/black	pack 5x200 / 500 pcs	D	PA-20004*V40 D
PA2/4	yellow/black	pack 5x200 / 500 pcs	E	PA-20004*V40 E
PA2/4	yellow/black	pack 5x200 / 500 pcs	F	PA-20004*V40 F
PA2/4	yellow/black	pack 5x200 / 500 pcs	G	PA-20004*V40 G
PA2/4	yellow-green/black	pack 5x200 / 500 pcs	⚡	PA-20004*V40 GRD
PA2/4	yellow/black	pack 5x200 / 500 pcs	H	PA-20004*V40 H
PA2/4	yellow/black	pack 5x200 / 500 pcs	I	PA-20004*V40 I
PA2/4	yellow/black	pack 5x200 / 500 pcs	J	PA-20004*V40 J
PA2/4	yellow/black	pack 5x200 / 500 pcs	K	PA-20004*V40 K
PA2/4	yellow/black	pack 5x200 / 500 pcs	L	PA-20004*V40 L
PA2/4	yellow/black	pack 5x200 / 500 pcs	M	PA-20004*V40 M
PA2/4	yellow/black	pack 5x200 / 500 pcs	N	PA-20004*V40 N
PA2/4	yellow/black	pack 5x200 / 500 pcs	O	PA-20004*V40 O
PA2/4	yellow/black	pack 5x200 / 500 pcs	P	PA-20004*V40 P
PA2/4	yellow/black	pack 5x200 / 500 pcs	Q	PA-20004*V40 Q
PA2/4	yellow/black	pack 5x200 / 500 pcs	R	PA-20004*V40 R
PA2/4	yellow/black	pack 5x200 / 500 pcs	S	PA-20004*V40 S
PA2/4	yellow/black	pack 5x200 / 500 pcs	T	PA-20004*V40 T
PA2/4	yellow/black	pack 5x200 / 500 pcs	U	PA-20004*V40 U
PA2/4	yellow/black	pack 5x200 / 500 pcs	V	PA-20004*V40 V
PA2/4	yellow/black	pack 5x200 / 500 pcs	W	PA-20004*V40 W
PA2/4	yellow/black	pack 5x200 / 500 pcs	X	PA-20004*V40 X
PA2/4	yellow/black	pack 5x200 / 500 pcs	Y	PA-20004*V40 Y
PA2/4	yellow/black	pack 5x200 / 500 pcs	Z	PA-20004*V40 Z
PA2/4	yellow/black	pack 5x200 / 500 pcs	+	PA-20004*V40 +
PA2/4	red/white	pack 5x200 / 500 pcs	+	PA-20004*V29 +
PA2/4	yellow/black	pack 5x200 / 500 pcs	-	PA-20004*V40 -
PA2/4	blue/white	pack 5x200 / 500 pcs	-	PA-20004*V69 -
PA2/4	yellow/black	pack 5x200 / 500 pcs	.	PA-20004*V40 .
PA2/4	yellow/black	pack 5x200 / 500 pcs	/	PA-20004*V40 /
PA2/4	yellow/black	pack 5x200 / 500 pcs	:	PA-20004*V40 :
PA2/4	yellow/black	pack 5x200 / 500 pcs	~	PA-20004*V40 SIN
PA2/4	yellow/black	pack 5x200 / 500 pcs	=	PA-20004*V40 =
PA2/4	black/white	pack 5x200 / 500 pcs	0	PA-20004*V09 0
PA2/4	brown/white	pack 5x200 / 500 pcs	1	PA-20004*V19 1
PA2/4	red/white	pack 5x200 / 500 pcs	2	PA-20004*V29 2
PA2/4	orange/black	pack 5x200 / 500 pcs	3	PA-20004*V30 3
PA2/4	yellow/black	pack 5x200 / 500 pcs	4	PA-20004*V40 4
PA2/4	green/white	pack 5x200 / 500 pcs	5	PA-20004*V59 5
PA2/4	blue/white	pack 5x200 / 500 pcs	6	PA-20004*V69 6
PA2/4	violet/white	pack 5x200 / 500 pcs	7	PA-20004*V79 7
PA2/4	grey/black	pack 5x200 / 500 pcs	8	PA-20004*V80 8
PA2/4	white/black	pack 5x200 / 500 pcs	9	PA-20004*V90 9
PA2/4	yellow/ -	pack 5x200 / 500 pcs	blank	PA-20004*V4.

*. A=pack 5x200pcs, S=reel 500 pcs

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 14

TYPE	COLOUR SLEEVE / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PA3/6	yellow/black	pack 5x20 pcs	0	PA-30006AV40 0
PA3/6	yellow/black	pack 5x20 pcs	1	PA-30006AV40 1
PA3/6	yellow/black	pack 5x20 pcs	2	PA-30006AV40 2
PA3/6	yellow/black	pack 5x20 pcs	3	PA-30006AV40 3
PA3/6	yellow/black	pack 5x20 pcs	4	PA-30006AV40 4
PA3/6	yellow/black	pack 5x20 pcs	5	PA-30006AV40 5
PA3/6	yellow/black	pack 5x20 pcs	6	PA-30006AV40 6
PA3/6	yellow/black	pack 5x20 pcs	7	PA-30006AV40 7
PA3/6	yellow/black	pack 5x20 pcs	8	PA-30006AV40 8
PA3/6	yellow/black	pack 5x20 pcs	9	PA-30006AV40 9
PA3/6	yellow/black	pack 5x20 pcs	A	PA-30006AV40 A
PA3/6	yellow/black	pack 5x20 pcs	B	PA-30006AV40 B
PA3/6	yellow/black	pack 5x20 pcs	C	PA-30006AV40 C
PA3/6	yellow/black	pack 5x20 pcs	D	PA-30006AV40 D
PA3/6	yellow/black	pack 5x20 pcs	E	PA-30006AV40 E
PA3/6	yellow/black	pack 5x20 pcs	F	PA-30006AV40 F
PA3/6	yellow/black	pack 5x20 pcs	G	PA-30006AV40 G
PA3/6	yellow-green/black	pack 5x20 pcs	⚡	PA-30006AV40 GRD
PA3/6	yellow/black	pack 5x20 pcs	H	PA-30006AV40 H
PA3/6	yellow/black	pack 5x20 pcs	I	PA-30006AV40 I
PA3/6	yellow/black	pack 5x20 pcs	J	PA-30006AV40 J
PA3/6	yellow/black	pack 5x20 pcs	K	PA-30006AV40 K
PA3/6	yellow/black	pack 5x20 pcs	L	PA-30006AV40 L
PA3/6	yellow/black	pack 5x20 pcs	M	PA-30006AV40 M
PA3/6	yellow/black	pack 5x20 pcs	N	PA-30006AV40 N
PA3/6	yellow/black	pack 5x20 pcs	O	PA-30006AV40 O
PA3/6	yellow/black	pack 5x20 pcs	P	PA-30006AV40 P
PA3/6	yellow/black	pack 5x20 pcs	Q	PA-30006AV40 Q
PA3/6	yellow/black	pack 5x20 pcs	R	PA-30006AV40 R
PA3/6	yellow/black	pack 5x20 pcs	S	PA-30006AV40 S
PA3/6	yellow/black	pack 5x20 pcs	T	PA-30006AV40 T
PA3/6	yellow/black	pack 5x20 pcs	U	PA-30006AV40 U
PA3/6	yellow/black	pack 5x20 pcs	V	PA-30006AV40 V
PA3/6	yellow/black	pack 5x20 pcs	W	PA-30006AV40 W
PA3/6	yellow/black	pack 5x20 pcs	X	PA-30006AV40 X
PA3/6	yellow/black	pack 5x20 pcs	Y	PA-30006AV40 Y
PA3/6	yellow/black	pack 5x20 pcs	Z	PA-30006AV40 Z
PA3/6	yellow/black	pack 5x20 pcs	+	PA-30006AV40 +
PA3/6	red/white	pack 5x20 pcs	+	PA-30006AV29 +
PA3/6	yellow/black	pack 5x20 pcs	-	PA-30006AV40 -
PA3/6	blue/white	pack 5x20 pcs	-	PA-30006AV69 -
PA3/6	yellow/black	pack 5x20 pcs	.	PA-30006AV40 .
PA3/6	yellow/black	pack 5x20 pcs	/	PA-30006AV40 /
PA3/6	yellow/black	pack 5x20 pcs	:	PA-30006AV40 :
PA3/6	yellow/black	pack 5x20 pcs	~	PA-30006AV40 SIN
PA3/6	yellow/black	pack 5x20 pcs	=	PA-30006AV40 =
PA3/6	black/white	pack 5x20 pcs	0	PA-30006AV09 0
PA3/6	brown/white	pack 5x20 pcs	1	PA-30006AV19 1
PA3/6	red/white	pack 5x20 pcs	2	PA-30006AV29 2
PA3/6	orange/black	pack 5x20 pcs	3	PA-30006AV30 3
PA3/6	yellow/black	pack 5x20 pcs	4	PA-30006AV40 4
PA3/6	green/white	pack 5x20 pcs	5	PA-30006AV59 5
PA3/6	blue/white	pack 5x20 pcs	6	PA-30006AV69 6
PA3/6	violet/white	pack 5x20 pcs	7	PA-30006AV79 7
PA3/6	grey/black	pack 5x20 pcs	8	PA-30006AV80 8
PA3/6	white/black	pack 5x20 pcs	9	PA-30006AV90 9
PA3/6	yellow/ -	pack 5x20 pcs	blank	PA-30006AN4.

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 14

TYPE	COLOUR SLEEVE / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	0	PY-01003*V40.0
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	1	PY-01003*V40.1
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	2	PY-01003*V40.2
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	3	PY-01003*V40.3
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	4	PY-01003*V40.4
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	5	PY-01003*V40.5
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	6	PY-01003*V40.6
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	7	PY-01003*V40.7
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	8	PY-01003*V40.8
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	9	PY-01003*V40.9
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	A	PY-01003*V40.A
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	B	PY-01003*V40.B
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	C	PY-01003*V40.C
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	D	PY-01003*V40.D
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	E	PY-01003*V40.E
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	F	PY-01003*V40.F
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	G	PY-01003*V40.G
PY01/3	yellow-green/black	pack 1000 / 5x200 / 500 / 250 pcs	⏏	PY-01003*V40.GRD
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	H	PY-01003*V40.H
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	I	PY-01003*V40.I
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	J	PY-01003*V40.J
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	K	PY-01003*V40.K
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	L	PY-01003*V40.L
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	M	PY-01003*V40.M
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	N	PY-01003*V40.N
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	O	PY-01003*V40.O
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	P	PY-01003*V40.P
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	Q	PY-01003*V40.Q
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	R	PY-01003*V40.R
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	S	PY-01003*V40.S
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	T	PY-01003*V40.T
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	U	PY-01003*V40.U
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	V	PY-01003*V40.V
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	W	PY-01003*V40.W
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	X	PY-01003*V40.X
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	Y	PY-01003*V40.Y
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	Z	PY-01003*V40.Z
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	+	PY-01003*V40.+
PY01/3	red/white	pack 1000 / 5x200 / 500 / 250 pcs	+	PY-01003*V29.+
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	-	PY-01003*V40.-
PY01/3	blue/white	pack 1000 / 5x200 / 500 / 250 pcs	-	PY-01003*V69.-
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	.	PY-01003*V40.
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	/	PY-01003*V40./
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	:	PY-01003*V40.:
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	~	PY-01003*V40.SIN
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	=	PY-01003*V40.=
PY01/3	black/white	pack 1000 / 5x200 / 500 / 250 pcs	0	PY-01003*V09.0
PY01/3	brown/white	pack 1000 / 5x200 / 500 / 250 pcs	1	PY-01003*V19.1
PY01/3	red/white	pack 1000 / 5x200 / 500 / 250 pcs	2	PY-01003*V29.2
PY01/3	orange/black	pack 1000 / 5x200 / 500 / 250 pcs	3	PY-01003*V30.3
PY01/3	yellow/black	pack 1000 / 5x200 / 500 / 250 pcs	4	PY-01003*V40.4
PY01/3	green/white	pack 1000 / 5x200 / 500 / 250 pcs	5	PY-01003*V59.5
PY01/3	blue/white	pack 1000 / 5x200 / 500 / 250 pcs	6	PY-01003*V69.6
PY01/3	violet/white	pack 1000 / 5x200 / 500 / 250 pcs	7	PY-01003*V79.7
PY01/3	grey/black	pack 1000 / 5x200 / 500 / 250 pcs	8	PY-01003*V80.8
PY01/3	white/black	pack 1000 / 5x200 / 500 / 250 pcs	9	PY-01003*V90.9
PY01/3	yellow/ -	pack 1000 / 5x200 / 500 / 250 pcs	blank	PY-01003*V4.

* B=reel 1000 pcs, A=strip pack 5x200pcs, S=reel 500 pcs, P=pack 250pcs



DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 14



TYPE	COLOUR SLEEVE / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PC10/3	yellow/black	pack 5x200 pcs	0	PC-10003*V40.0
PC10/3	yellow/black	pack 5x200 pcs	1	PC-10003*V40.1
PC10/3	yellow/black	pack 5x200 pcs	2	PC-10003*V40.2
PC10/3	yellow/black	pack 5x200 pcs	3	PC-10003*V40.3
PC10/3	yellow/black	pack 5x200 pcs	4	PC-10003*V40.4
PC10/3	yellow/black	pack 5x200 pcs	5	PC-10003*V40.5
PC10/3	yellow/black	pack 5x200 pcs	6	PC-10003*V40.6
PC10/3	yellow/black	pack 5x200 pcs	7	PC-10003*V40.7
PC10/3	yellow/black	pack 5x200 pcs	8	PC-10003*V40.8
PC10/3	yellow/black	pack 5x200 pcs	9	PC-10003*V40.9
PC10/3	yellow/black	pack 5x200 pcs	A	PC-10003*V40.A
PC10/3	yellow/black	pack 5x200 pcs	B	PC-10003*V40.B
PC10/3	yellow/black	pack 5x200 pcs	C	PC-10003*V40.C
PC10/3	yellow/black	pack 5x200 pcs	D	PC-10003*V40.D
PC10/3	yellow/black	pack 5x200 pcs	E	PC-10003*V40.E
PC10/3	yellow/black	pack 5x200 pcs	F	PC-10003*V40.F
PC10/3	yellow/black	pack 5x200 pcs	G	PC-10003*V40.G
PC10/3	yellow/black	pack 5x200 pcs	⏏	PC-10003*V40.GRD
PC10/3	yellow/black	pack 5x200 pcs	H	PC-10003*V40.H
PC10/3	yellow/black	pack 5x200 pcs	I	PC-10003*V40.I
PC10/3	yellow/black	pack 5x200 pcs	J	PC-10003*V40.J
PC10/3	yellow/black	pack 5x200 pcs	K	PC-10003*V40.K
PC10/3	yellow/black	pack 5x200 pcs	L	PC-10003*V40.L
PC10/3	yellow/black	pack 5x200 pcs	M	PC-10003*V40.M
PC10/3	yellow/black	pack 5x200 pcs	N	PC-10003*V40.N
PC10/3	yellow/black	pack 5x200 pcs	O	PC-10003*V40.O
PC10/3	yellow/black	pack 5x200 pcs	P	PC-10003*V40.P
PC10/3	yellow/black	pack 5x200 pcs	Q	PC-10003*V40.Q
PC10/3	yellow/black	pack 5x200 pcs	R	PC-10003*V40.R
PC10/3	yellow/black	pack 5x200 pcs	S	PC-10003*V40.S
PC10/3	yellow/black	pack 5x200 pcs	T	PC-10003*V40.T
PC10/3	yellow/black	pack 5x200 pcs	U	PC-10003*V40.U
PC10/3	yellow/black	pack 5x200 pcs	V	PC-10003*V40.V
PC10/3	yellow/black	pack 5x200 pcs	W	PC-10003*V40.W
PC10/3	yellow/black	pack 5x200 pcs	X	PC-10003*V40.X
PC10/3	yellow/black	pack 5x200 pcs	Y	PC-10003*V40.Y
PC10/3	yellow/black	pack 5x200 pcs	Z	PC-10003*V40.Z
PC10/3	yellow/black	pack 5x200 pcs	+	PC-10003*V40.+
PC10/3	red/white	pack 5x200 pcs	+	PC-10003*V29.+
PC10/3	yellow/black	pack 5x200 pcs	-	PC-10003*V40.-
PC10/3	blue/white	pack 5x200 pcs	-	PC-10003*V69.-
PC10/3	yellow/black	pack 5x200 pcs	.	PC-10003*V40.
PC10/3	yellow/black	pack 5x200 pcs	/	PC-10003*V40./
PC10/3	yellow/black	pack 5x200 pcs	:	PC-10003*V40.:
PC10/3	yellow/black	pack 5x200 pcs	~	PC-10003*V40.SIN
PC10/3	yellow/black	pack 5x200 pcs	=	PC-10003*V40.=
PC10/3	black/white	pack 5x200 pcs	0	PC-10003*V09.0
PC10/3	brown/white	pack 5x200 pcs	1	PC-10003*V19.1
PC10/3	red/white	pack 5x200 pcs	2	PC-10003*V29.2
PC10/3	orange/black	pack 5x200 pcs	3	PC-10003*V30.3
PC10/3	yellow/black	pack 5x200 pcs	4	PC-10003*V40.4
PC10/3	green/white	pack 5x200 pcs	5	PC-10003*V59.5
PC10/3	blue/white	pack 5x200 pcs	6	PC-10003*V69.6
PC10/3	violet/white	pack 5x200 pcs	7	PC-10003*V79.7
PC10/3	grey/black	pack 5x200 pcs	8	PC-10003*V80.8
PC10/3	white/black	pack 5x200 pcs	9	PC-10003*V90.9
PC10/3	yellow/ -	pack 5x200 pcs	blank	PC-10003*N4.

*. P= marker strips. A= cut markers



DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 16

TYPE	COLOUR SLEEVE / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PC40/4	yellow/black	pack 5x200 pcs	0	PC-40003*V40 0
PC40/4	yellow/black	pack 5x200 pcs	1	PC-40003*V40 1
PC40/4	yellow/black	pack 5x200 pcs	2	PC-40003*V40 2
PC40/4	yellow/black	pack 5x200 pcs	3	PC-40003*V40 3
PC40/4	yellow/black	pack 5x200 pcs	4	PC-40003*V40 4
PC40/4	yellow/black	pack 5x200 pcs	5	PC-40003*V40 5
PC40/4	yellow/black	pack 5x200 pcs	6	PC-40003*V40 6
PC40/4	yellow/black	pack 5x200 pcs	7	PC-40003*V40 7
PC40/4	yellow/black	pack 5x200 pcs	8	PC-40003*V40 8
PC40/4	yellow/black	pack 5x200 pcs	9	PC-40003*V40 9
PC40/4	yellow/black	pack 5x200 pcs	A	PC-40003*V40 A
PC40/4	yellow/black	pack 5x200 pcs	B	PC-40003*V40 B
PC40/4	yellow/black	pack 5x200 pcs	C	PC-40003*V40 C
PC40/4	yellow/black	pack 5x200 pcs	D	PC-40003*V40 D
PC40/4	yellow/black	pack 5x200 pcs	E	PC-40003*V40 E
PC40/4	yellow/black	pack 5x200 pcs	F	PC-40003*V40 F
PC40/4	yellow/black	pack 5x200 pcs	G	PC-40003*V40 G
PC40/4	yellow/black	pack 5x200 pcs	⏏	PC-40003*V40 GRD
PC40/4	yellow/black	pack 5x200 pcs	H	PC-40003*V40 H
PC40/4	yellow/black	pack 5x200 pcs	I	PC-40003*V40 I
PC40/4	yellow/black	pack 5x200 pcs	J	PC-40003*V40 J
PC40/4	yellow/black	pack 5x200 pcs	K	PC-40003*V40 K
PC40/4	yellow/black	pack 5x200 pcs	L	PC-40003*V40 L
PC40/4	yellow/black	pack 5x200 pcs	M	PC-40003*V40 M
PC40/4	yellow/black	pack 5x200 pcs	N	PC-40003*V40 N
PC40/4	yellow/black	pack 5x200 pcs	O	PC-40003*V40 O
PC40/4	yellow/black	pack 5x200 pcs	P	PC-40003*V40 P
PC40/4	yellow/black	pack 5x200 pcs	Q	PC-40003*V40 Q
PC40/4	yellow/black	pack 5x200 pcs	R	PC-40003*V40 R
PC40/4	yellow/black	pack 5x200 pcs	S	PC-40003*V40 S
PC40/4	yellow/black	pack 5x200 pcs	T	PC-40003*V40 T
PC40/4	yellow/black	pack 5x200 pcs	U	PC-40003*V40 U
PC40/4	yellow/black	pack 5x200 pcs	V	PC-40003*V40 V
PC40/4	yellow/black	pack 5x200 pcs	W	PC-40003*V40 W
PC40/4	yellow/black	pack 5x200 pcs	X	PC-40003*V40 X
PC40/4	yellow/black	pack 5x200 pcs	Y	PC-40003*V40 Y
PC40/4	yellow/black	pack 5x200 pcs	Z	PC-40003*V40 Z
PC40/4	yellow/black	pack 5x200 pcs	+	PC-40003*V40 +
PC40/4	red/white	pack 5x200 pcs	+	PC-40003*V29 +
PC40/4	yellow/black	pack 5x200 pcs	-	PC-40003*V40 -
PC40/4	blue/white	pack 5x200 pcs	-	PC-40003*V69 -
PC40/4	yellow/black	pack 5x200 pcs	.	PC-40003*V40 .
PC40/4	yellow/black	pack 5x200 pcs	/	PC-40003*V40 /
PC40/4	yellow/black	pack 5x200 pcs	:	PC-40003*V40 :
PC40/4	yellow/black	pack 5x200 pcs	~	PC-40003*V40 SIN
PC40/4	yellow/black	pack 5x200 pcs	=	PC-40003*V40 =
PC40/4	black/white	pack 5x200 pcs	0	PC-40003*V09 0
PC40/4	brown/white	pack 5x200 pcs	1	PC-40003*V19 1
PC40/4	red/white	pack 5x200 pcs	2	PC-40003*V29 2
PC40/4	orange/black	pack 5x200 pcs	3	PC-40003*V30 3
PC40/4	yellow/black	pack 5x200 pcs	4	PC-40003*V40 4
PC40/4	green/white	pack 5x200 pcs	5	PC-40003*V59 5
PC40/4	blue/white	pack 5x200 pcs	6	PC-40003*V69 6
PC40/4	violet/white	pack 5x200 pcs	7	PC-40003*V79 7
PC40/4	grey/black	pack 5x200 pcs	8	PC-40003*V80 8
PC40/4	white/black	pack 5x200 pcs	9	PC-40003*V90 9
PC40/4	yellow/ -	pack 5x200 pcs	blank	PC-40003*N4

*. P= marker strips. A= cut markers

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 16

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PT+02/15	transparent	bag 200 pcs	PT+02015A
PT+02/21	transparent	bag 200 pcs	PT+02021A
PT+02/30	transparent	carton 500 pcs	PT+02030K
PT+10/15	transparent	bag 200 pcs	PT+10015A
PT+10/21	transparent	bag 200 pcs	PT+10021A
PT+10/30	transparent	carton 500 pcs	PT+10030K
PT+20/15	transparent	bag 100 pcs	PT+20015A
PT+20/21	transparent	bag 100 pcs	PT+20021A
PT+20/30	transparent	carton 200 pcs	PT+20030K
PT+30/15	transparent	bag 50 pcs	PT+30015A
PT+30/21	transparent	bag 50 pcs	PT+30021A
PT+30/30	transparent	carton 200 pcs	PT+30030K

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 18

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PTZ+02/15	transparent	bag 200 pcs	PTZ+02015A
PTZ+02/21	transparent	bag 200 pcs	PTZ+02021A
PTZ+02/30	transparent	bag 200 pcs	PTZ+02030A
PTZ+10/15	transparent	bag 200 pcs	PTZ+10015A
PTZ+10/21	transparent	bag 200 pcs	PTZ+10021A
PTZ+10/30	transparent	bag 200 pcs	PTZ+10030A
PTZ+20/15	transparent	bag 100 pcs	PTZ+20015A
PTZ+20/21	transparent	bag 100 pcs	PTZ+20021A
PTZ+20/30	transparent	bag 100 pcs	PTZ+20030A
PTZ+30/15	transparent	bag 50 pcs	PTZ+30015A
PTZ+30/21	transparent	bag 50 pcs	PTZ+30021A
PTZ+30/30	transparent	bag 50 pcs	PTZ+30030A

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 18

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PTC 10/15	yellow with transparent pocket	bag 200 pcs	PTC10015A4
PTC 10/15	white with transparent pocket	bag 200 pcs	PTC10015A9
PTC 10/21	yellow with transparent pocket	bag 200 pcs	PTC10021A4
PTC 10/21	white with transparent pocket	bag 200 pcs	PTC10021A9
PTC 10/30	yellow with transparent pocket	bag 200 pcs	PTC10030A4
PTC 10/30	white with transparent pocket	bag 200 pcs	PTC10030A9
PTC 20/15	yellow with transparent pocket	bag 200 pcs	PTC20015A4
PTC 20/15	white with transparent pocket	bag 200 pcs	PTC20015A9
PTC 20/21	yellow with transparent pocket	bag 200 pcs	PTC20021A4
PTC 20/21	white with transparent pocket	bag 200 pcs	PTC20021A9
PTC 20/30	yellow with transparent pocket	bag 200 pcs	PTC20030A4
PTC 20/30	white with transparent pocket	bag 200 pcs	PTC20030A9
PTC 30/15	yellow with transparent pocket	bag 200 pcs	PTC30015A4
PTC 30/15	white with transparent pocket	bag 200 pcs	PTC30015A9
PTC 30/21	yellow with transparent pocket	bag 200 pcs	PTC30021A4
PTC 30/21	white with transparent pocket	bag 200 pcs	PTC30021A9
PTC 30/30	yellow with transparent pocket	bag 200 pcs	PTC30030A4
PTC 30/30	white with transparent pocket	bag 200 pcs	PTC30030A9
PTC 40/15	yellow with transparent pocket	bag 100 pcs	PTC40015A4
PTC 40/15	white with transparent pocket	bag 100 pcs	PTC40015A9
PTC 40/21	yellow with transparent pocket	bag 100 pcs	PTC40021A4
PTC 40/21	white with transparent pocket	bag 100 pcs	PTC40021A9
PTC 40/30	yellow with transparent pocket	bag 100 pcs	PTC40030A4
PTC 40/30	white with transparent pocket	bag 100 pcs	PTC40030A9

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PTC 50/15	yellow with transparent pocket	bag 100 pcs	PTC50015A4
PTC 50/15	white with transparent pocket	bag 100 pcs	PTC50015A9
PTC 50/21	yellow with transparent pocket	bag 100 pcs	PTC50021A4
PTC 50/21	white with transparent pocket	bag 100 pcs	PTC50021A9
PTC 50/30	yellow with transparent pocket	bag 100 pcs	PTC50030A4
PTC 50/30	white with transparent pocket	bag 100 pcs	PTC50030A9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 20

PK

TYPE	COLOR / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PK 2/4	yellow/black	pack 5x100 / 500 pcs	0	PK-20004*V40.0
PK 2/4	yellow/black	pack 5x100 / 500 pcs	1	PK-20004*V40.1
PK 2/4	yellow/black	pack 5x100 / 500 pcs	2	PK-20004*V40.2
PK 2/4	yellow/black	pack 5x100 / 500 pcs	3	PK-20004*V40.3
PK 2/4	yellow/black	pack 5x100 / 500 pcs	4	PK-20004*V40.4
PK 2/4	yellow/black	pack 5x100 / 500 pcs	5	PK-20004*V40.5
PK 2/4	yellow/black	pack 5x100 / 500 pcs	6	PK-20004*V40.6
PK 2/4	yellow/black	pack 5x100 / 500 pcs	7	PK-20004*V40.7
PK 2/4	yellow/black	pack 5x100 / 500 pcs	8	PK-20004*V40.8
PK 2/4	yellow/black	pack 5x100 / 500 pcs	9	PK-20004*V40.9
PK 2/4	yellow/black	pack 5x100 / 500 pcs	A	PK-20004*V40.A
PK 2/4	yellow/black	pack 5x100 / 500 pcs	B	PK-20004*V40.B
PK 2/4	yellow/black	pack 5x100 / 500 pcs	C	PK-20004*V40.C
PK 2/4	yellow/black	pack 5x100 / 500 pcs	D	PK-20004*V40.D
PK 2/4	yellow/black	pack 5x100 / 500 pcs	E	PK-20004*V40.E
PK 2/4	yellow/black	pack 5x100 / 500 pcs	F	PK-20004*V40.F
PK 2/4	yellow/black	pack 5x100 / 500 pcs	G	PK-20004*V40.G
PK 2/4	yellow-green/black	pack 5x100 / 500 pcs	⏏	PK-20004*V40.GRD
PK 2/4	yellow/black	pack 5x100 / 500 pcs	H	PK-20004*V40.H
PK 2/4	yellow/black	pack 5x100 / 500 pcs	I	PK-20004*V40.I
PK 2/4	yellow/black	pack 5x100 / 500 pcs	J	PK-20004*V40.J
PK 2/4	yellow/black	pack 5x100 / 500 pcs	K	PK-20004*V40.K
PK 2/4	yellow/black	pack 5x100 / 500 pcs	L	PK-20004*V40.L
PK 2/4	yellow/black	pack 5x100 / 500 pcs	M	PK-20004*V40.M
PK 2/4	yellow/black	pack 5x100 / 500 pcs	N	PK-20004*V40.N
PK 2/4	yellow/black	pack 5x100 / 500 pcs	O	PK-20004*V40.O
PK 2/4	yellow/black	pack 5x100 / 500 pcs	P	PK-20004*V40.P
PK 2/4	yellow/black	pack 5x100 / 500 pcs	Q	PK-20004*V40.Q
PK 2/4	yellow/black	pack 5x100 / 500 pcs	R	PK-20004*V40.R
PK 2/4	yellow/black	pack 5x100 / 500 pcs	S	PK-20004*V40.S
PK 2/4	yellow/black	pack 5x100 / 500 pcs	T	PK-20004*V40.T
PK 2/4	yellow/black	pack 5x100 / 500 pcs	U	PK-20004*V40.U
PK 2/4	yellow/black	pack 5x100 / 500 pcs	V	PK-20004*V40.V
PK 2/4	yellow/black	pack 5x100 / 500 pcs	W	PK-20004*V40.W
PK 2/4	yellow/black	pack 5x100 / 500 pcs	X	PK-20004*V40.X
PK 2/4	yellow/black	pack 5x100 / 500 pcs	Y	PK-20004*V40.Y
PK 2/4	yellow/black	pack 5x100 / 500 pcs	Z	PK-20004*V40.Z
PK 2/4	yellow/black	pack 5x100 / 500 pcs	+	PK-20004*V40.+
PK 2/4	red/white	pack 5x100 / 500 pcs	+	PK-20004*V29.+
PK 2/4	yellow/black	pack 5x100 / 500 pcs	-	PK-20004*V40.-
PK 2/4	blue/white	pack 5x100 / 500 pcs	-	PK-20004*V69.-
PK 2/4	yellow/black	pack 5x100 / 500 pcs	.	PK-20004*V40.
PK 2/4	yellow/black	pack 5x100 / 500 pcs	/	PK-20004*V40./
PK 2/4	yellow/black	pack 5x100 / 500 pcs	:	PK-20004*V40.:
PK 2/4	yellow/black	pack 5x100 / 500 pcs	~	PK-20004*V40.SIN
PK 2/4	yellow/black	pack 5x100 / 500 pcs	=	PK-20004*V40.=
PK 2/4	black/white	pack 5x100 / 500 pcs	0	PK-20004*V09.0
PK 2/4	brown/white	pack 5x100 / 500 pcs	1	PK-20004*V19.1
PK 2/4	red/white	pack 5x100 / 500 pcs	2	PK-20004*V29.2
PK 2/4	orange/black	pack 5x100 / 500 pcs	3	PK-20004*V30.3

TYPE	COLOR / PRINT	PACKAGING	CHARACTER	ARTICLE NUMBER
PK 2/4	yellow/black	pack 5x100 / 500 pcs	4	PK-20004*V40.4
PK 2/4	green/white	pack 5x100 / 500 pcs	5	PK-20004*V59.5
PK 2/4	blue/white	pack 5x100 / 500 pcs	6	PK-20004*V69.6
PK 2/4	violet/white	pack 5x100 / 500 pcs	7	PK-20004*V79.7
PK 2/4	grey/black	pack 5x100 / 500 pcs	8	PK-20004*V80.8
PK 2/4	white/black	pack 5x100 / 500 pcs	9	PK-20004*V90.9
PK 2/4	yellow/ -	pack 5x100 / 500 pcs	blank	PK-20004*N4

*. A= strip pack 5x100 pcs, S= compact disc 500 pcs

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 22

HOLDERS FOR PK

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKH	black 70 mm	bag 100 pcs	PKH070
PKH	black 70 mm	bag 100 pcs	PKH070POL
PKH	black 100 mm	bag 100 pcs	PKH100POL
POH	black 60 mm	bag 100 pcs	POH07060AA0
POH	black 82 mm	bag 100 pcs	POH12082AA0
POH	black 110 mm	bag 100 pcs	POH18110AA0

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 23

PKS - SINGLE CHARACTER

SINGLE CHARACTER MARKERS IN STAINLESS STEEL

TYPE	PACKAGING	CHARACTER	ARTICLE NUMBER
PKS 06	bag 50 pcs	0	PKS10006PP0
PKS 06	bag 50 pcs	1	PKS10006PP1
PKS 06	bag 50 pcs	2	PKS10006PP2
PKS 06	bag 50 pcs	3	PKS10006PP3
PKS 06	bag 50 pcs	4	PKS10006PP4
PKS 06	bag 50 pcs	5	PKS10006PP5
PKS 06	bag 50 pcs	6	PKS10006PP6
PKS 06	bag 50 pcs	7	PKS10006PP7
PKS 06	bag 50 pcs	8	PKS10006PP8
PKS 06	bag 50 pcs	9	PKS10006PP9
PKS 06	bag 50 pcs	A	PKS10006PPA
PKS 06	bag 50 pcs	B	PKS10006PPB
PKS 06	bag 50 pcs	C	PKS10006PPC
PKS 06	bag 50 pcs	D	PKS10006PPD
PKS 06	bag 50 pcs	E	PKS10006PPE
PKS 06	bag 50 pcs	F	PKS10006PPF
PKS 06	bag 50 pcs	G	PKS10006PPG
PKS 06	bag 50 pcs	⏏	PKS10006PPGRD
PKS 06	bag 50 pcs	H	PKS10006PPH
PKS 06	bag 50 pcs	I	PKS10006PPI
PKS 06	bag 50 pcs	J	PKS10006PPJ
PKS 06	bag 50 pcs	K	PKS10006PPK
PKS 06	bag 50 pcs	L	PKS10006PPL
PKS 06	bag 50 pcs	M	PKS10006PPM
PKS 06	bag 50 pcs	N	PKS10006PPN
PKS 06	bag 50 pcs	O	PKS10006PP0
PKS 06	bag 50 pcs	P	PKS10006PPP
PKS 06	bag 50 pcs	Q	PKS10006PPQ
PKS 06	bag 50 pcs	R	PKS10006PPR
PKS 06	bag 50 pcs	S	PKS10006PPS
PKS 06	bag 50 pcs	T	PKS10006PPT
PKS 06	bag 50 pcs	U	PKS10006PPU
PKS 06	bag 50 pcs	V	PKS10006PPV
PKS 06	bag 50 pcs	W	PKS10006PPW

TYPE	PACKAGING	CHARACTER	ARTICLE NUMBER
PKS 06	bag 50 pcs	X	PKS10006PPX
PKS 06	bag 50 pcs	Y	PKS10006PPY
PKS 06	bag 50 pcs	Z	PKS10006PPZ
PKS 06	bag 50 pcs	minus	PKS10006PP-
PKS 06	bag 50 pcs	.	PKS10006PP.
PKS 06	bag 50 pcs	/	PKS10006PP/
PKS 06	bag 50 pcs	:	PKS10006PP:
PKS 06	bag 50 pcs	+	PKS10006PP+
PKS 06	bag 50 pcs	=	PKS10006PP=
PKS 06	bag 50 pcs	blank	PKS10006PN

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 24

PKS HOLDERS WITH HOLES

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS 40 holder	bag 50 pcs	PKS10040FQH
PKS 60 holder	bag 50 pcs	PKS10060FQH
PKS 80 holder	bag 50 pcs	PKS10080FQH
PKS 100 holder	bag 50 pcs	PKS10100FQH
PKS 120 holder	bag 50 pcs	PKS10120FQH

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

PKS HOLDERS WITH SLOTS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS 40 holder	bag 50 pcs	PKS10040FQS
PKS 60 holder	bag 50 pcs	PKS10060FQS
PKS 80 holder	bag 50 pcs	PKS10080FQS
PKS 100 holder	bag 50 pcs	PKS10100FQS
PKS 120 holder	bag 50 pcs	PKS10120FQS

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 10MM

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS10	customized text, max 8 characters / row	PKS10050*
PKS10	customized text, max 13 characters / row	PKS10070*
PKS10	customized text, max 18 characters / row	PKS10090*
PKS10	customized text, max 23 characters / row	PKS10110*
PKS10	customized text, max 28 characters / row	PKS10130*

* = S: slots, H: holes

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 10MM, 2 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS10	customized text, max 11 characters / row	PKS10050*2
PKS10	customized text, max 18 characters / row	PKS10070*2
PKS10	customized text, max 26 characters / row	PKS10090*2
PKS10	customized text, max 33 characters / row	PKS10110*2
PKS10	customized text, max 41 characters / row	PKS10130*2

* = S: slots, H: holes

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 19MM, SLOTS, MAX 3 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS19	customized text, max 11 characters / row	PKS19050S
PKS19	customized text, max 18 characters / row	PKS19070S

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS19	customized text, max 26 characters / row	PKS19090S
PKS19	customized text, max 33 characters / row	PKS19110S
PKS19	customized text, max 41 characters / row	PKS19130S

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 19MM, HOLES, MAX 3 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS19	customized text, max 11 characters / row	PKS19050H
PKS19	customized text, max 18 characters / row	PKS19070H
PKS19	customized text, max 26 characters / row	PKS19090H
PKS19	customized text, max 33 characters / row	PKS19110H
PKS19	customized text, max 41 characters / row	PKS19130H

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 25MM, SLOTS, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS25	customized text, max 11 characters / row	PKS25050S
PKS25	customized text, max 18 characters / row	PKS25070S
PKS25	customized text, max 26 characters / row	PKS25090S
PKS25	customized text, max 33 characters / row	PKS25110S
PKS25	customized text, max 41 characters / row	PKS25130S

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 25MM, HOLES, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS25	customized text, max 11 characters / row	PKS25050H
PKS25	customized text, max 18 characters / row	PKS25070H
PKS25	customized text, max 26 characters / row	PKS25090H
PKS25	customized text, max 33 characters / row	PKS25110H
PKS25	customized text, max 41 characters / row	PKS25130H

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 32MM, SLOTS, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS32	customized text, max 11 characters / row	PKS32050S
PKS32	customized text, max 18 characters / row	PKS32070S
PKS32	customized text, max 26 characters / row	PKS32090S
PKS32	customized text, max 33 characters / row	PKS32110S
PKS32	customized text, max 41 characters / row	PKS32130S

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 32MM, HOLES, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS32	customized text, max 11 characters / row	PKS32050H
PKS32	customized text, max 18 characters / row	PKS32070H
PKS32	customized text, max 26 characters / row	PKS32090H
PKS32	customized text, max 33 characters / row	PKS32110H
PKS32	customized text, max 41 characters / row	PKS32130H

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 38MM, SLOTS, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS38	customized text, max 11 characters / row	PKS38050S
PKS38	customized text, max 18 characters / row	PKS38070S
PKS38	customized text, max 26 characters / row	PKS38090S
PKS38	customized text, max 33 characters / row	PKS38110S
PKS38	customized text, max 41 characters / row	PKS38130S

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

MULTI CHARACTER PKS MARKERS 38MM, HOLES, MAX 4 ROWS

TYPE	DESCRIPTION	ARTICLE NUMBER
PKS38	customized text, max 11 characters / row	PKS38050H
PKS38	customized text, max 18 characters / row	PKS38070H
PKS38	customized text, max 26 characters / row	PKS38090H
PKS38	customized text, max 33 characters / row	PKS38110H
PKS38	customized text, max 41 characters / row	PKS38130H

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 26

ACCESSORIES PKS

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKS46150	stainless steel cable tie 150mm x 4,6mm	bag 100 pcs	PKS46150AN6
PKS46200	stainless steel cable tie 200mm x 4,6mm	bag 100 pcs	PKS46200AN6
PKS46300	stainless steel cable tie 300mm x 4,6mm	bag 100 pcs	PKS46300AN6
PKS46360	stainless steel cable tie 360mm x 4,6mm	bag 100 pcs	PKS46360AN6
PKS79360	stainless steel cable tie 360mm x 7,9mm	bag 100 pcs	PKS79360AN6
PKS46520	stainless steel cable tie 520mm x 4,6mm	bag 100 pcs	PKS46520AN6
RT05	steel wire 0,5mm	reel 50m	PKS10RT05
PKS10AT	automatic cable tie tool	1 pcs	PKS10AT
PKSC46150	stainless steel cable tie, coated, 150mm x 4,6mm	bag 100 pcs	PKSC46150ANO
PKSC46200	stainless steel cable tie, coated, 200mm x 4,6mm	bag 100 pcs	PKSC46200ANO
PKSC46200	stainless steel cable tie, coated, 200mm x 4,6mm	bag 100 pcs	PKSC46200AN2
PKSC46260	stainless steel cable tie, coated, 260mm x 4,6mm	bag 100 pcs	PKSC46260ANO
PKSC46300	stainless steel cable tie, coated, 300mm x 4,6mm	bag 100 pcs	PKSC46300ANO
PKSC46360	stainless steel cable tie, coated, 360mm x 4,6mm	bag 100 pcs	PKSC46360ANO
PKSC46360	stainless steel cable tie, coated 360mm x 4,6mm	bag 100 pcs	PKSC46360AN2
PKSC79360	stainless steel cable tie, coated 360mm x 7,9mm	bag 100 pcs	PKSC79360ANO

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 28

PM

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PM 10/33	transparent	bag 100 pcs	PM-10033AN
PM 20/33	transparent	bag 100 pcs	PM-20033AN
PM 20/66	transparent	bag 50 pcs	PM-20066AN
PM 24/66	transparent	bag 50 pcs	PM-24066AN
PM 24	transparent	box 20 meters	PM-24QKNT

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 30

PTM

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PTM 10/23	transparent	500 pcs	PTM10023K
PTM 10/30	transparent	500 pcs	PTM10030K
PTM 20/20	transparent	500 pcs	PTM20020K

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 32

PPQ

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PPQ-10	pre-cut flat marker 10mm x 40 mm, yellow	reel 500 pcs	PPQ-10040DN4
PPQ-10	pre-cut flat marker 10mm x 40 mm, white	reel 500 pcs	PPQ-10040DN9
PPQ-10	pre-cut flat marker 10mm x 60 mm, yellow	reel 333 pcs	PPQ-10060DN4
PPQ-10	pre-cut flat marker 10mm x 60 mm, white	reel 333 pcs	PPQ-10060DN9
PPQ-10	pre-cut flat marker 10mm x 80 mm, yellow	reel 250 pcs	PPQ-10080DN4
PPQ-10	pre-cut flat marker 10mm x 80 mm, white	reel 250 pcs	PPQ-10080DN9
PPQ-19	pre-cut flat marker 19mm x 40 mm, yellow	reel 500 pcs	PPQ-19040DN4
PPQ-19	pre-cut flat marker 19mm x 40 mm, white	reel 500 pcs	PPQ-19040DN9
PPQ-19	pre-cut flat marker 19mm x 60 mm, yellow	reel 333 pcs	PPQ-19060DN4
PPQ-19	pre-cut flat marker 19mm x 60 mm, white	reel 333 pcs	PPQ-19060DN9
PPQ-19	pre-cut flat marker 19mm x 80 mm, yellow	reel 250 pcs	PPQ-19080DN4
PPQ-19	pre-cut flat marker 19mm x 80 mm, white	reel 250 pcs	PPQ-19080DN9
PPQ-38	pre-cut flat marker 38mm x 40 mm, yellow	reel 333 pcs	PPQ-38060DN4
PPQ-38	pre-cut flat marker 38mm x 40 mm, white	reel 333 pcs	PPQ-38060DN9
PPQ-38	pre-cut flat marker 38mm x 60 mm, yellow	reel 250 pcs	PPQ-38080DN4
PPQ-38	pre-cut flat marker 38mm x 60 mm, white	reel 250 pcs	PPQ-38080DN9
PPQ-38	pre-cut flat marker 38mm x 80 mm, yellow	reel 200 pcs	PPQ-38100DN4
PPQ-38	pre-cut flat marker 38mm x 80 mm, white	reel 200 pcs	PPQ-38100DN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 34

PO/POZ

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PO-01 / POZ-01	oval profile 0.25 mm ² , yellow	250 m	PO-01000BN4 / POZ-01000KN4
PO-01 / POZ-01	oval profile 0.25 mm ² , white	250 m	PO-01000BN9 / POZ-01000KN9
PO-02 / POZ-02	oval profile 0.5 mm ² , yellow	250 m	PO-02000BN4 / POZ-02000KN4
PO-02 / POZ-02	oval profile 0.5mm ² , yellow	60 m	PO-02000DN4 / POZ-02000DN4
PO-02 / POZ-02	oval profile 0.5 mm ² , white	250 m	PO-02000BN9 / POZ-02000KN9
PO-02 / POZ-02	oval profile 0.5mm ² , white	60 m	PO-02000DN9 / POZ-02000DN9
PO-03 / POZ-03	oval profile 0.75 mm ² , yellow	250 m	PO-03000BN4 / POZ-03000KN4
PO-03 / POZ-03	oval profile 0,75mm ² , yellow	50 m	PO-03000DN4 / POZ-03000DN4
PO-03 / POZ-03	oval profile 0.75 mm ² , white	250 m	PO-03000BN9 / POZ-03000KN9
PO-03 / POZ-03	oval profile 0,75mm ² , white	50 m	PO-03000DN9 / POZ-03000DN9
PO-04 / POZ-04	oval profile 10 mm ² , yellow	200 m	PO-04000BN4 / POZ-04000KN4
PO-04 / POZ-04	oval profile 10mm ² , yellow	50 m	PO-04000DN4 / POZ-04000DN4
PO-04 / POZ-04	oval profile 10 mm ² , white	200 m	PO-04000BN9 / POZ-04000KN9
PO-04 / POZ-04	oval profile 10mm ² , white	50 m	PO-04000DN9 / POZ-04000DN9
PO-05 / POZ-05	oval profile 15 mm ² , yellow	200 m	PO-05000BN4 / POZ-05000KN4
PO-05 / POZ-05	oval profile 15mm ² , yellow	40 m	PO-05000DN4 / POZ-05000DN4
PO-05 / POZ-05	oval profile 15 mm ² , white	200 m	PO-05000BN9 / POZ-05000KN9
PO-05 / POZ-05	oval profile 15mm ² , white	40 m	PO-05000DN9 / POZ-05000DN9
PO-06 / POZ-06	oval profile 2.5 mm ² , yellow	200 m	PO-06000BN4 / POZ-06000KN4
PO-06 / POZ-06	oval profile 2,5mm ² , yellow	40 m	PO-06000DN4 / POZ-06000DN4
PO-06 / POZ-06	oval profile 2.5 mm ² , white	200 m	PO-06000BN9 / POZ-06000KN9
PO-06 / POZ-06	oval profile 2,5mm ² , white	40 m	PO-06000DN9 / POZ-06000DN9

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
P0-06Q	oval profile, pre punched, mounted with cable tie	40 m	P0-06Q10DN4
P0-06Q	oval profile, pre punched, mounted with cable tie	3.5 m	P0-06Q10SN4
P0-068Q / PKZ20Q	oval profile, pre punched, mounted with cable tie yellow	25 m	P0-068QDN4 / PKZ20Q10DN4
P0-068Q	oval profile, pre punched, mounted with cable tie white	25 m	P0-068QDN9
P0-068 / PKZ20	oval profile mounted with PKH/POH yellow	25 m	P0-068TWDN4 / PKZ20DN4
P0-068	oval profile mounted with PKH/POH white	25 m	P0-068TWDN9
P0-068	oval profile mounted with PKH/POH yellow	4.5 m	P0-068TWSN4
P0-068	oval profile mounted with PKH/POH white	4.5 m	P0-068TWSN9
P0-07 / POZ-07	oval profile 4.0 mm², yellow	100 m	P0-07000BN4 / POZ-07000KN4
P0-07 / POZ-07	oval profile 4.0mm², yellow	30 m / 3.5 m	P0-07000DN4 / POZ-07000SN4
P0-07 / POZ-07	oval profile 4.0 mm², white	100 m	P0-07000BN9 / POZ-07000KN9
P0-07 / POZ-07	oval profile 4.0mm², white	30 m / 3.5 m	P0-07000DN9 / POZ-07000SN9
P0-08 / POZ-08	oval profile 6.0 mm², yellow	100 m	P0-08000BN4 / POZ-08000KN4
P0-08 / POZ-08	oval profile 6.0mm², yellow	30 m /3 m	P0-08000DN4 / POZ-08000SN4
P0-08 / POZ-08	oval profile 6.0 mm², white	100 m	P0-08000BN9 / POZ-08000KN9
P0-08 / POZ-08	oval profile 6.0mm², white	30 m / 3 m	P0-08000DN9 / POZ-08000SN9
P0-09 / POZ-09	oval profile 10.0 mm², yellow	50 m	P0-09000BN4 / POZ-09000KN4
P0-09 / POZ-09	oval profile 10.0 mm², white	50 m	P0-09000BN9 / POZ-09000KN9
P0-10 / POZ-10	oval profile 16.0 mm², yellow	50 m	P0-10000BN4 / POZ-10000KN4
P0-10 / POZ-10	oval profile 16.0 mm², white	50 m	P0-10000BN9 / POZ-10000KN9
P0-12 / POZ-12	oval profile 20.0 mm², yellow	50 m	P0-12000BN4 / POZ-12000KN4
P0-12 / POZ-12	oval profile 20.0 mm², white	50 m	P0-12000BN9 / POZ-12000KN9
P0-14 / POZ-14	oval profile 25.0 mm², yellow	50 m	P0-14000BN4 / POZ-14000KN4
P0-14 / POZ-14	oval profile 25.0 mm², white	50 m	P0-14000KN9 / POZ-14000KN9
P0-16 / POZ-16	oval profile 35.0 mm², yellow	10 m	P0-16000KN4 / POZ-16000KN4
P0-16 / POZ-16	oval profile 35.0 mm², white	10 m	P0-16000KN9 / POZ-16000KN9
P0-18 / POZ-18	oval profile 50.0 mm², yellow	10 m	P0-18000KN4 / POZ-18000KN4
P0-18 / POZ-18	oval profile 50.0 mm², white	10 m	P0-18000KN9 / POZ-18000KN9
P0-20 / POZ-20	oval profile 70.0 mm², yellow	10 m	P0-20000KN4 / POZ-20000KN4
P0-20 / POZ-20	oval profile 70.0 mm², white	10 m	P0-20000KN9 / POZ-20000KN9
P0-22 / POZ-20	oval profile 95.0 mm², yellow	10 m	P0-22000KN4 / POZ-22000KN4
P0-22 / POZ-22	oval profile 95.0 mm², white	10 m	P0-22000KN9 / POZ-22000KN9
P0-24 / POZ-24	oval profile 120.0 mm², yellow	10 m	P0-24000KN4 / POZ-24000KN4
P0-24 / POZ-24	oval profile 120.0 mm², white	10 m	P0-24000KN9 / POZ-24000KN9
P0-26 / POZ-26	oval profile 150.0 mm², yellow	10 m	P0-26000KN4 / POZ-26000KN4
P0-26 / POZ-26	oval profile 150.0 mm², white	10 m	P0-26000KN9
P0-28 / POZ-28	oval profile 185.0 mm², yellow	10 m	P0-28000KN4 / POZ-28000KN4
P0-28 / POZ-28	oval profile 185.0 mm², white	10 m	P0-28000KN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 36

PHZ

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PHZ20024	heat shrink 2.4 / 12 mm, yellow	100 m	PHZ20024BN4
PHZ20024	heat shrink 2.4 / 12 mm, white	100 m	PHZ20024BN9
PHZ20032	heat shrink 3.2 / 16 mm, yellow	100 m	PHZ20032BN4
PHZ20032	heat shrink 3.2 / 16 mm, white	100 m	PHZ20032BN9
PHZ20048	heat shrink 4.8 / 24 mm, yellow	100 m	PHZ20048BN4
PHZ20048	heat shrink 4.8 / 24 mm white	100 m	PHZ20048BN9
PHZ20064	heat shrink 6.4 / 32 mm, yellow	75 m	PHZ20064BN4
PHZ20064	heat shrink 6.4 / 32 mm, white	75 m	PHZ20064BN9
PHZ20095	heat shrink 9.5 / 48 mm, yellow	75 m	PHZ20095BN4
PHZ20095	heat shrink 9.5 / 48 mm, white	75 m	PHZ20095BN9
PHZ20127	heat shrink 12.7 / 64 mm, yellow	50 m	PHZ20127BN4
PHZ20127	heat shrink 12.7 / 64 mm, white	50 m	PHZ20127BN9
PHZ20190	heat shrink 19.0 / 95 mm, yellow	25 m	PHZ20190BN4
PHZ20190	heat shrink 19.0 / 95 mm, white	25 m	PHZ20190BN9
PHZ20254	heat shrink 25.4 / 127 mm, yellow	25 m	PHZ20254BN4
PHZ20254	heat shrink 25.4 / 127 mm, white	25 m	PHZ20254BN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 38

PHZF

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PHZF20024	flat heat shrink 2.4 / 12 mm, yellow	100 m	PHZF20024BN4
PHZF20024	flat heat shrink 2.4 / 12 mm, yellow	25 m	PHZF20024MNN4
PHZF20024	flat heat shrink 2.4 / 12 mm, white	100 m	PHZF20024BN9
PHZF20024	flat heat shrink 2.4 / 12 mm, white	25 m	PHZF20024MNN9
PHZF20032	flat heat shrink 3.2 / 16 mm, yellow	100 m	PHZF20032BN4
PHZF20032	flat heat shrink 3.2 / 16 mm, yellow	25 m	PHZF20032DN4
PHZF20032	flat heat shrink 3.2 / 16 mm, white	100 m	PHZF20032BN9
PHZF20032	flat heat shrink 3.2 / 16 mm, white	25 m	PHZF20032DN9
PHZF20048	flat heat shrink 4.8 / 24 mm, yellow	100 m	PHZF20048BN4
PHZF20048	flat heat shrink 4.8 / 24 mm, yellow	25 m	PHZF20048DN4
PHZF20048	flat heat shrink 4.8 / 24 mm white	100 m	PHZF20048BN9
PHZF20048	flat heat shrink 4.8 / 24 mm, white	25 m	PHZF20048DN9
PHZF20064	flat heat shrink 6.4 / 32 mm, yellow	100 m	PHZF20064BN4
PHZF20064	flat heat shrink 6.4 / 32 mm, yellow	25 m	PHZF20064DN4
PHZF20064	flat heat shrink 6.4 / 32 mm, white	100 m	PHZF20064BN9
PHZF20064	flat heat shrink 6.4 / 32 mm, white	25 m	PHZF20064DN9
PHZF20095	flat heat shrink 9.5 / 48 mm, yellow	75 m	PHZF20095BN4
PHZF20095	flat heat shrink 9.5 / 48 mm, white	75 m	PHZF20095BN9
PHZF20127	flat heat shrink 12.7 / 64 mm, yellow	50 m	PHZF20127BN4
PHZF20127	flat heat shrink 12.7 / 64 mm, white	50 m	PHZF20127BN9
PHZF20191	flat heat shrink 19.0 / 95 mm, yellow	50 m	PHZF20191BN4
PHZF20191	flat heat shrink 19.0 / 95 mm, white	50 m	PHZF20191BN9
PHZF20254	flat heat shrink 25.4 / 127 mm, yellow	50 m	PHZF20254BN4
PHZF20254	flat heat shrink 25.4 / 127 mm, white	50 m	PHZF20254BN9
PHZF20380	flat heat shrink 38.0 / 191 mm, yellow	50 m	PHZF20320BN4

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 40

ENGRAVED PLATES

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PE-P	engraved plates in plastic	contact partex	PE-***P
PE-A	engraved plates in aluminum	contact partex	PE-***A
PE-S	engraved plates in stainless steel	contact partex	PE-***S
PE-PM	engraved plates in plastic „smooth surface“	contact partex	PE-***PM

*** = size of the plate in mm, eg 025

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 50-52

PS

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS20/06	white 1/3 mod.- (20 pcs)	bag 20 pcs	PS-20006AB90.-
PS20/06	white 1/3 mod.: (20 pcs)	bag 20 pcs	PS-20006AB90.
PS20/06	white 1/3 mod.: / (20 pcs)	bag 20 pcs	PS-20006AB90./
PS20/06	white 1/3 mod.: ? (20 pcs)	bag 20 pcs	PS-20006AB90.?
PS20/06	white 1/3 mod.: + (20 pcs)	bag 20 pcs	PS-20006AB90.+
PS20/06	white 1/3 mod.: 0 (50 pcs)	bag 50 pcs	PS-20006AB90.0
PS20/06	white 1/3 mod.: 1 (50 pcs)	bag 50 pcs	PS-20006AB90.1
PS20/06	white 1/3 mod.: 2 (50 pcs)	bag 50 pcs	PS-20006AB90.2
PS20/06	white 1/3 mod.: 3 (50 pcs)	bag 50 pcs	PS-20006AB90.3
PS20/06	white 1/3 mod.: 4 (50 pcs)	bag 50 pcs	PS-20006AB90.4
PS20/06	white 1/3 mod.: 5 (50 pcs)	bag 50 pcs	PS-20006AB90.5
PS20/06	white 1/3 mod.: 6 (50 pcs)	bag 50 pcs	PS-20006AB90.6
PS20/06	white 1/3 mod.: 7 (50 pcs)	bag 50 pcs	PS-20006AB90.7
PS20/06	white 1/3 mod.: 8 (50 pcs)	bag 50 pcs	PS-20006AB90.8
PS20/06	white 1/3 mod.: 9 (50 pcs)	bag 50 pcs	PS-20006AB90.9
PS20/06	white 1/3 mod.: A (20 pcs) (20 pcs)	bag 20 pcs	PS-20006AB90.A

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS20/06	white 1/3 mod. B (20 pcs)	bag 20 pcs	PS-20006AB90B
PS20/06	white 1/3 mod. C (20 pcs)	bag 20 pcs	PS-20006AB90C
PS20/06	white 1/3 mod. D (20 pcs)	bag 20 pcs	PS-20006AB90D
PS20/06	white 1/3 mod. E (20 pcs)	bag 20 pcs	PS-20006AB90E
PS20/06	white 1/3 mod. F (20 pcs)	bag 20 pcs	PS-20006AB90F
PS20/06	white 1/3 mod. G (20 pcs)	bag 20 pcs	PS-20006AB90G
PS20/06	white 1/3 mod.  (20 pcs)	bag 20 pcs	PS-20006AB90GRD
PS20/06	white 1/3 mod. H (20 pcs)	bag 20 pcs	PS-20006AB90H
PS20/06	white 1/3 mod. I (20 pcs)	bag 20 pcs	PS-20006AB90I
PS20/06	white 1/3 mod. J (20 pcs)	bag 20 pcs	PS-20006AB90J
PS20/06	white 1/3 mod. K (20 pcs)	bag 20 pcs	PS-20006AB90K
PS20/06	white 1/3 mod. L (20 pcs)	bag 20 pcs	PS-20006AB90L
PS20/06	white 1/3 mod. M (20 pcs)	bag 20 pcs	PS-20006AB90M
PS20/06	white 1/3 mod. N (20 pcs)	bag 20 pcs	PS-20006AB90N
PS20/06	white 1/3 mod. O (20 pcs)	bag 20 pcs	PS-20006AB90O
PS20/06	white 1/3 mod. P (20 pcs)	bag 20 pcs	PS-20006AB90P
PS20/06	white 1/3 mod. Q (20 pcs)	bag 20 pcs	PS-20006AB90Q
PS20/06	white 1/3 mod. R (20 pcs)	bag 20 pcs	PS-20006AB90R
PS20/06	white 1/3 mod. S (20 pcs)	bag 20 pcs	PS-20006AB90S
PS20/06	white 1/3 mod. sinus (20 pcs)	bag 20 pcs	PS-20006AB90SINUS
PS20/06	white 1/3 mod. T (20 pcs)	bag 20 pcs	PS-20006AB90T
PS20/06	white 1/3 mod. U (20 pcs)	bag 20 pcs	PS-20006AB90U
PS20/06	white 1/3 mod. V (20 pcs)	bag 20 pcs	PS-20006AB90V
PS20/06	white 1/3 mod. W (20 pcs)	bag 20 pcs	PS-20006AB90W
PS20/06	white 1/3 mod. X (20 pcs)	bag 20 pcs	PS-20006AB90X
PS20/06	white 1/3 mod. Y (20 pcs)	bag 20 pcs	PS-20006AB90Y
PS20/06	white 1/3 mod. Z (20 pcs)	bag 20 pcs	PS-20006AB90Z
PS20/17	PS20/17.5 mm white: blank (20 pcs)	bag 20 pcs	PS-20018AN9
PS20/27	PS20/27 white 1.5 mod blank (20 pcs)	bag 20 pcs	PS-20027AN9
PS20/35	PS20/35.0 mm white: blank (20 pcs)	bag 20 pcs	PS-20035AN9
PS20/52	PS20/52.5 mm white: blank (20 pcs)	bag 20 pcs	PS-20053AN9
PS20/00	PS profile white 1m	10 meter	PS-20000KN9

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 54

PS

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS20/17	PS20/17.5 mm transparent (20 pcs)	bag 20 pcs	PS-20018AT
PS20/27	PS20/27 mm transparent (20 pcs)	bag 20 pcs	PS-20027AT
PS20/35	PS20/35.0 mm transparent (20 pcs)	bag 20 pcs	PS-20035AT
PS20/52	PS20/52.5 mm transparent (20 pcs)	bag 20 pcs	PS-20053AT
PS20/00	profil PS profile transparent 1m	10 meter	PS-20000KT

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 54

PS - BASE PROFILE

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS-20	base profil white	10 x 1m	PS-20BPS
PS-20	base profil black	10 x 1m	PS-20BPV

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 54

RIVET FOR MOUNTING RAIL WHITE

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS-R6	rivet for mounting rail white	bag 100 pcs	PS-R6
PS-R7	rivet for mounting rail white	bag 100 pcs	PS-R7

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 54

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PF 10/15	white and yellow label 4.6 x 15 mm	10 sheets x 792 pcs	PF-10015KT49
PF 10/21	white and yellow label 4.6 x 21 mm	10 sheets x 594 pcs	PF-10021KT49
PF 20/18	white and yellow label 9.5 x 17.5 mm	10 sheets x 352 pcs	PF-20018KT49

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 56

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PFC042	yellow card with tags 4.2 x 12 mm	25 cards x 21 tags	PFC04212KA4
PFC042	yellow card with tags 4.2 x 12 mm	25 cards x 21 tags	PFC04212KA9
PFC042	yellow card with tags 4.2 x 15 mm	25 cards x 21 tags	PFC04215KA4
PFC042	yellow card with tags 4.2 x 15 mm	25 cards x 21 tags	PFC04215KA9
PFC042	yellow card with tags 4.2 x 18 mm	25 cards x 21 tags	PFC04218KA4
PFC042	yellow card with tags 4.2 x 18 mm	25 cards x 21 tags	PFC04218KA9
PFC042	yellow card with tags 4.2 x 21 mm	25 cards x 21 tags	PFC04221KA4
PFC042	yellow card with tags 4.2 x 21 mm	25 cards x 21 tags	PFC04221KA9
PFC042	yellow card with tags 4.2 x 30 mm	25 cards x 21 tags	PFC04230KA4
PFC042	yellow card with tags 4.2 x 30 mm	25 cards x 21 tags	PFC04230KA9
PFC075	yellow card with markers 7.5 x 33 mm	25 cards x 9 markers	PFC07533KA4
PFC075	yellow card with markers 7.5 x 33 mm	25 cards x 9 markers	PFC07533KA9
PFC095	yellow card with markers 9.5 x 18 mm	25 cards x 20 markers	PFC09518KA4
PFC095	yellow card with markers 9.5 x 18 mm	25 cards x 20 markers	PFC09518KA9
PFC095	yellow card with markers 9.5 x 40 mm	25 cards x 8 markers	PFC09540KA4
PFC095	yellow card with markers 9.5 x 40 mm	25 cards x 8 markers	PFC09540KA9
PFC095	yellow card with markers 9.5 x 80 mm	25 cards x 4 markers	PFC09580KA4
PFC095	yellow card with markers 9.5 x 80 mm	25 cards x 4 markers	PFC09580KA9
PFC070	white cards with tags 14 x 7 mm	25 cards x 25 tags	PFC07014KA9
PFC127	white cards with tags 12.7 x 25.4 mm	25 cards x 9 tags	PFC12726KA9
PFC450	white cards with tags 4.5 x 80 mm	25 cards x 1 tags	PFC45080KA9

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 57

PP+/PPA+

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PP+046	flat profile 4.6 mm	compacta disc 17 m	PP+04600SN*
PP+046	flat profile 4.6 mm	DN-reel 50 m	PP+04600DN*
PP+063	flat profile 6.3 mm	compacta disc 17 m	PP+06300SN*
PP+063	flat profile 6.3 mm	DN-reel 50 m	PP+06300DN*
PP+09	flat profile 9.0 mm	compacta disc 17 m	PP+09000SN*
PP+09	flat profile 9.0 mm	DN-reel 50 m	PP+09000DN*
PP+10	flat profile 10.0 mm	compacta disc 17 m	PP+10000SN*
PP+10	flat profile 10.0 mm	DN-reel 50 m	PP+10000SN*
PP+110	flat profile 11.0 mm	compacta disc 17 m	PP+11000DN*
PP+110	flat profile 11.0 mm	DN-reel 50 m	PP+11000DN*
PPA+	flat profile 4.6 mm	compacta disc 10 m	PPA+09000SN*
PPA+	flat profile 4.6 mm	DN-reel 25 m	PPA+09000DN*

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 58

PFA

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PFA 20/18	yellow labels with adhesive 9.5 x 17.5 mm	10 sheets x 352 labels	PFA20018KT4
PFA 20/18	yellow labels with adhesive 9.5 x 17.5 mm	10 sheets x 352 labels	PFA20018KT9

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 59

CAS/PAM

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
CAS	blue cassette for PA-1 empty	1 pc	CAS-500E
CAS	blue cassette for PA-1 with pad-4m	1 pc	CAS-500EP
CAS	blue cassette filled with PA1 acc spec	1 pc	CAS-500M
CAS	blue cassette for PA i pad-4m	1 pc	CAS-500MP
CAS	cassette blue PA1 yellow 0-9, pad-5m	1 pc	CAS-500MP40 0-9
CAS	cassette blue PA1 white 0-9, pad-5m	1 pc	CAS-500MP90 0-9
CAS	red cassette for PA-02 empty	1 pc	CAS-600E
CAS	red cassette for PA-02 with PAD-3m	1 pc	CAS-600EP
CAS	red cassette filled with PA02 acc spec	1 pc	CAS-600M
CAS	blue cassette for PA-02 with PAD-3m	1 pc	CAS-600MP
PAM	cassette red for PA-02	1 pc	PAM-02E
PAM	cassette red for PA-02 with PAV	1 pc	PAM-02EP
PAM	cassette blue for PA-1	1 pc	PAM-10E
PAM	cassette blue for PA-1 with PAV	1 pc	PAM-10EP

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 60

MD/MDH

TYPE	DESCRIPTION	CHARACTER	ARTICLE NUMBER
MDH 2002	holder MD-02. red for PA 02		MDH2002
MDH2002-S	holder of MD-02 + PA-02 markers		MDH2002-S
MD 02	applikator MD 02 red empty (20 pcs)		MD-02
MD 02	MD 02 with PA 02 (20 x 25 pcs)		MD-02S
MD 02	applikator with markers PA-02 (10 pcs)	minus	MD-02003--40-
MD 02	applikator with markers PA-02 (10 pcs)	.	MD-02003--40.
MD 02	applikator with markers PA-02 (10 pcs)	/	MD-02003--40/
MD 02	applikator with markers PA-02 (10 pcs)	:	MD-02003--40:
MD 02	applikator with markers PA-02 (10 pcs)	plus	MD-02003--40+
MD 02	applikator with markers PA-02 (10 pcs)	=	MD-02003--40=
MD 02	applikator with markers PA-02 (10 pcs)	0	MD-02003--40 0
MD 02	applikator with markers PA-02 (10 pcs)	1	MD-02003--40 1
MD 02	applikator with markers PA-02 (10 pcs)	2	MD-02003--40 2
MD 02	applikator with markers PA-02 (10 pcs)	3	MD-02003--40 3
MD 02	applikator with markers PA-02 (10 pcs)	4	MD-02003--40 4
MD 02	applikator with markers PA-02 (10 pcs)	5	MD-02003--40 5
MD 02	applikator with markers PA-02 (10 pcs)	6	MD-02003--40 6
MD 02	applikator with markers PA-02 (10 pcs)	7	MD-02003--40 7
MD 02	applikator with markers PA-02 (10 pcs)	8	MD-02003--40 8
MD 02	applikator with markers PA-02 (10 pcs)	9	MD-02003--40 9
MD 02	applikator with markers PA-02 (10 pcs)	A	MD-02003--40 A
MD 02	applikator with markers PA-02 (10 pcs)	B	MD-02003--40 B
MD 02	applikator with markers PA-02 (10 pcs)	C	MD-02003--40 C
MD 02	applikator with markers PA-02 (10 pcs)	D	MD-02003--40 D
MD 02	applikator with markers PA-02 (10 pcs)	E	MD-02003--40 E
MD 02	applikator with markers PA-02 (10 pcs)	F	MD-02003--40 F

TYPE	DESCRIPTION	CHARACTER	ARTICLE NUMBER
MD 02	applikator with markers PA-02 (10 pcs)	G	MD-02003--40 G
MD 02	applikator with markers PA-02 (10 pcs)	H	MD-02003--40 H
MD 02	applikator with markers PA-02 (10 pcs)	I	MD-02003--40 I
MD 02	applikator with markers PA-02 (10 pcs)	J	MD-02003--40 J
MD 02	applikator with markers PA-02 (10 pcs)	K	MD-02003--40 K
MD 02	applikator with markers PA-02 (10 pcs)	L	MD-02003--40 L
MD 02	applikator with markers PA-02 (10 pcs)	M	MD-02003--40 M
MD 02	applikator with markers PA-02 (10 pcs)		MD-02003--40 MASA
MD 02	applikator with markers PA-02 (10 pcs)	N	MD-02003--40 N
MD 02	applikator with markers PA-02 (10 pcs)	O	MD-02003--40 O
MD 02	applikator with markers PA-02 (10 pcs)	P	MD-02003--40 P
MD 02	applikator with markers PA-02 (10 pcs)	Q	MD-02003--40 Q
MD 02	applikator with markers PA-02 (10 pcs)	R	MD-02003--40 R
MD 02	applikator with markers PA-02 (10 pcs)	S	MD-02003--40 S
MD 02	applikator with markers PA-02 (10 pcs)	T	MD-02003--40 T
MD 02	applikator with markers PA-02 (10 pcs)	U	MD-02003--40 U
MD 02	applikator with markers PA-02 (10 pcs)	V	MD-02003--40 V
MD 02	applikator with markers PA-02 (10 pcs)	W	MD-02003--40 W
MD 02	applikator with markers PA-02 (10 pcs)	X	MD-02003--40 X
MD 02	applikator with markers PA-02 (10 pcs)	Y	MD-02003--40 Y
MD 02	applikator with markers PA-02 (10 pcs)	Z	MD-02003--40 Z
MD 02	applikator with markers PA-02 (10 pcs)	0,1,2,3,4,5,6,7,8,9	MD-02S40 0-9

MDH 2010	holder MD-10 blue for PA 1		MDH2010
MDH2010-S	MD-10 blue + PA-1		MDH2010-S
MD 10	applikator MD 10 blue empty (20 pcs)		MD-10
MD 10	MD 10 with PA 1 (20 x 25 pcs)		MD-10S
MD 10	applikator with markers PA-1 (10 pcs)	minus	MD-10003--40-
MD 10	applikator with markers PA-1 (10 pcs)	.	MD-10003--40.
MD 10	applikator with markers PA-1 (10 pcs)	/	MD-10003--40/
MD 10	applikator with markers PA-1 (10 pcs)	:	MD-10003--40:
MD 10	applikator with markers PA-1 (10 pcs)	plus	MD-10003--40+
MD 10	applikator with markers PA-1 (10 pcs)	=	MD-10003--40=
MD 10	applikator with markers PA-1 (10 pcs)	0	MD-10003--40 0
MD 10	applikator with markers PA-1 (10 pcs)	1	MD-10003--40 1
MD 10	applikator with markers PA-1 (10 pcs)	2	MD-10003--40 2
MD 10	applikator with markers PA-1 (10 pcs)	3	MD-10003--40 3
MD 10	applikator with markers PA-1 (10 pcs)	4	MD-10003--40 4
MD 10	applikator with markers PA-1 (10 pcs)	5	MD-10003--40 5
MD 10	applikator with markers PA-1 (10 pcs)	6	MD-10003--40 6
MD 10	applikator with markers PA-1 (10 pcs)	7	MD-10003--40 7
MD 10	applikator with markers PA-1 (10 pcs)	8	MD-10003--40 8
MD 10	applikator with markers PA-1 (10 pcs)	9	MD-10003--40 9
MD 10	applikator with markers PA-1 (10 pcs)	A	MD-10003--40 A
MD 10	applikator with markers PA-1 (10 pcs)	B	MD-10003--40 B
MD 10	applikator with markers PA-1 (10 pcs)	C	MD-10003--40 C
MD 10	applikator with markers PA-1 (10 pcs)	D	MD-10003--40 D
MD 10	applikator with markers PA-1 (10 pcs)	E	MD-10003--40 E
MD 10	applikator with markers PA-1 (10 pcs)	F	MD-10003--40 F
MD 10	applikator with markers PA-1 (10 pcs)	G	MD-10003--40 G
MD 10	applikator with markers PA-1 (10 pcs)	H	MD-10003--40 H
MD 10	applikator with markers PA-1 (10 pcs)	I	MD-10003--40 I
MD 10	applikator with markers PA-1 (10 pcs)	J	MD-10003--40 J
MD 10	applikator with markers PA-1 (10 pcs)	K	MD-10003--40 K
MD 10	applikator with markers PA-1 (10 pcs)	L	MD-10003--40 L
MD 10	applikator with markers PA-1 (10 pcs)	M	MD-10003--40 M
MD 10	applikator with markers PA-1 (10 pcs)		MD-10003--40 GRD
MD 10	applikator with markers PA-1 (10 pcs)	N	MD-10003--40 N
MD 10	applikator with markers PA-1 (10 pcs)	O	MD-10003--40 O
MD 10	applikator with markers PA-1 (10 pcs)	P	MD-10003--40 P
MD 10	applikator with markers PA-1 (10 pcs)	Q	MD-10003--40 Q
MD 10	applikator with markers PA-1 (10 pcs)	R	MD-10003--40 R
MD 10	applikator with markers PA-1 (10 pcs)	S	MD-10003--40 S
MD 10	applikator with markers PA-1 (10 pcs)	T	MD-10003--40 T
MD 10	applikator with markers PA-1 (10 pcs)	U	MD-10003--40 U
MD 10	applikator with markers PA-1 (10 pcs)	V	MD-10003--40 V

TYPE	DESCRIPTION	CHARACTER	ARTICLE NUMBER
MD 10	applikator with markers PA-1 (10 pcs)	W	MD-10003--40 W
MD 10	applikator with markers PA-1 (10 pcs)	X	MD-10003--40 X
MD 10	applikator with markers PA-1 (10 pcs)	Y	MD-10003--40 Y
MD 10	applikator with markers PA-1 (10 pcs)	Z	MD-10003--40 Z
MD 10	applikator with markers PA-1 (10 pcs)	0,12,3,4,5,6,7,8,9	MD-10S40 0-9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 61

PSK

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PSK	12 compartment box empty	1 pc	PSK12000
PSK	18 compartment box empty	1 pc	PSK18000

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 62

SRP

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
SRC	carlon box for Parlex compacta discs	1 pc	SRC-T
SRP	steel box for Parlex compacta discs	1 pc	SRP

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 63

PYD/PAD/PAV

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PYD-1M	metal	1 pcs	PYD-1M
PYD-1T	teflon (green)	1 pcs	PYD-1T
PAD-3M	metal	1 pcs	PAD-3M
PAD-3T	teflon (red)	1 pcs	PAD-3T
PAD-4M	metal	1 pcs	PAD-4M
PAD-4T	teflon (blue)	1 pcs	PAD-4T
PAD-5M	metal	1 pcs	PAD-5M
PAD-5T	teflon (blue)	1 pcs	PAD-5T
PAV 02M	metal	1 pcs	PAV 02M
PAV 10M	metal	1 pcs	PAV 10M

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 64

MTP-F

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MTP-F	pen 0.35mm	1 pcs	MTP-F

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 65

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
SP	Spiral tube 8 mm black	100 m	SP-08100KN0
SP	Spiral tube 8 mm green	100 m	SP-08100KN5
SP	Spiral tube 8 mm grey	100 m	SP-08100KN8
SP	Spiral tube 10 mm black	60 m	SP-10100KN0
SP	Spiral tube 10 mm green	60 m	SP-10100KN5
SP	Spiral tube 10 mm grey	60 m	SP-10100KN8
SP	Spiral tube 15 mm black	40 m	SP-15100KN0
SP	Spiral tube 15 mm green	40 m	SP-15100KN5
SP	Spiral tube 15 mm grey	40 m	SP-15100KN8
SP	Spiral tube 20 mm black	40 m	SP-20100KN0
SP	Spiral tube 20 mm green	40 m	SP-20100KN5
SP	Spiral tube 20 mm grey	40 m	SP-20100KN8
SP	Spiral tube 25 mm black	30 m	SP-25100KN0
SP	Spiral tube 25 mm green	30 m	SP-25100KN5
SP	Spiral tube 25 mm grey	30 m	SP-25100KN8
SP	Spiral tube 30 mm black	20 m	SP-30100KN0
SP	Spiral tube 30 mm green	20 m	SP-30100KN5
SP	Spiral tube 30 mm grey	20 m	SP-30100KN8
SP	Spiral tube 40 mm black	10 m	SP-40100KN0
SP	Spiral tube 40 mm green	10 m	SP-40100KN5
SP	Spiral tube 40 mm grey	10 m	SP-40100KN8
SP	Spiral tube 50 mm black	4 m	SP-50100KN0
SP	Spiral tube 50 mm green	4 m	SP-50100KN5
SP	Spiral tube 50 mm grey	4 m	SP-50100KN8

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 66

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
IT-1	insulating tape 19 mm x 20 m black	1 pc	IT-1-0
IT-1	insulating tape 19 mm x 20 m green-yellow	1 pc	IT-1-45

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 67

STANDARD CABLE TIES

TYPE	COLOUR	PACKAGING	ARTICLE NUMBER
PKB 80 x 2.4	black	100 pcs	PKB24080A0
PKB 80 x 2.4	neutral	100 pcs	PKB24080A9
PKB 100 x 2.5	black	100 pcs	PKB25100A0
PKB 100 x 2.5	neutral	100 pcs	PKB25100A9
PKB 160 x 2.5	black	100 pcs	PKB25160A0
PKB 160 x 2.5	neutral	100 pcs	PKB25160A9
PKB 200 x 2.5	black	100 pcs	PKB25200A0
PKB 200 x 2.5	neutral	100 pcs	PKB25200A9
PKB 140 x 3.6	black	100 pcs	PKB36140A0
PKB 140 x 3.6	neutral	100 pcs	PKB36140A9
PKB 200 x 3.6	black	100 pcs	PKB36200A0
PKB 200 x 3.6	neutral	100 pcs	PKB36200A9
PKB 300 x 3.6	black	100 pcs	PKB36300A0
PKB 300 x 3.6	neutral	100 pcs	PKB36300A9

TYPE	COLOUR	PACKAGING	ARTICLE NUMBER
PKB 120 x 4.8	black	100 pcs	PKB48120A0
PKB 120 x 4.8	neutral	100 pcs	PKB48120A9
PKB 160 x 4.8	black	100 pcs	PKB48160A0
PKB 160 x 4.8	neutral	100 pcs	PKB48160A9
PKB 200 x 4.8	black	100 pcs	PKB48200A0
PKB 200 x 4.8	neutral	100 pcs	PKB48200A9
PKB 250 x 4.8	black	100 pcs	PKB48250A0
PKB 250 x 4.8	neutral	100 pcs	PKB48300A0
PKB 300 x 4.8	black	100 pcs	PKB48300A9
PKB 300 x 4.8	neutral	100 pcs	PKB48365A0
PKB 370 x 4.8	black	100 pcs	PKB48365A9
PKB 370 x 4.8	neutral	100 pcs	PKB48530A0
PKB 150 x 7.6	black	100 pcs	PKB76150A0
PKB 240 x 7.6	black	100 pcs	PKB76200A0
PKB 370 x 7.6	black	100 pcs	PKB76370A0
PKB 430 x 9.0	black	100 pcs	PKB90430A0
PKB 710 x 9.0	black	100 pcs	PKB90710A0

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

CABLE TIES UV RESISTANCE

TYPE	COLOUR	PACKAGING	ARTICLE NUMBER
PKB 100 x 2.5	black	100 pcs	PKB25100A0UV
PKB 160 x 2.5	black	100 pcs	PKB25160A0UV
PKB 140 x 3.6	black	100 pcs	PKB36140A0UV
PKB 200 x 3.6	black	100 pcs	PKB36200A0UV
PKB 300 x 3.6	black	100 pcs	PKB36300A0UV
PKB 200 x 4.8	black	100 pcs	PKB48200A0UV
PKB 300 x 4.8	black	100 pcs	PKB48300A0UV
PKB 370 x 4.8	black	100 pcs	PKB48365A0UV
PKB 530 x 4.8	black	100 pcs	PKB48530A0UV
PKB 300 x 7.6	black	100 pcs	PKB76300A0UV
PKB 370 x 7.6	black	100 pcs	PKB76370A0UV

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

METAL BARBED CABLE TIES

TYPE	COLOUR	PACKAGING	ARTICLE NUMBER
PKB 200 x 2.4	black	100 pcs	PKB24200MB
PKB 186 x 4.8	black	100 pcs	PKB48186MB
PKB 360 x 4.8	black	100 pcs	PKB48360MB
PKB5 338 x 7.6	black	100 pcs	PKB76338MB

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

CABLE TIE FOR MARKING

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKB-100FM	100 x 2.5 mm neutral	100 pcs	PKB25100A9-FM
PKB-200WM	200 x 4.8 mm neutral	100 pcs	PKB48200A9-WM

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

CABLE TIE SCREW MOUNT M4

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKB-150M4	150 x 3.6 mm neutral skruvmontage M4	100 pcs	PKB36150A9-M4

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

CABLE TIE PUSH MOUNT

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKB-153 SM	155 x 3.3 mm neutral	100 pcs	PKB33155A9-SM
PKB-200 SM	200 x 4.8 mm neutral	100 pcs	PKB48200A9-SM

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

CABLE TIE MOUNTS AND ACCESSORIES

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PKB-1/4N	adhesive cable tie mount neutral	100 pcs	PKB-1/4N
PKB-1/4SV	adhesive cable tie mount black	100 pcs	PKB-1/4SV
PKB-1/4-KITB	PKB25100A9+PKB-1/4 SAT'S B	1 pc	PKB-1/4KITB
PKB-1/4-KITC	PKB25100A0+PKB-1/4 SAT'S C	1 pc	PKB-1/4KITC
PKB-2/4	adhesive cable tie mount neutral	100 pcs	PKB-2/4N
PKB-2/4	adhesive cable tie mount black	100 pcs	PKB-2/4SV
PKB-2/4KITB	PKB25100A9+PKB-2/4 SAT'S B	10 pcs	PKB-2/4KITB
PKB-2/4KITC	PKB25100A0+PKB-2/4 SAT'S C	10 pcs	PKB-2/4KITC
PKB-SM2	cable tie mount saddle neutral, max width 4.8 mm	100 pcs	PKB-SM2
PKB-SM2	cable tie mount saddle black, max width 4.8 mm	100 pcs	PKB-SM2SV
PKB-SM3	cable tie mount saddle neutral, max width 8.0 mm	100 pcs	PKB-SM3
PKB-SM3	cable tie mount saddle black, max width 8.0 mm	100 pcs	PKB-SM3SV

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 68

PROMARK T-800

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
T-800	PROMARK T-800	1 pcs	T800-PROMARK-KIT1

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 74

PROMARK T-800 ACCESSORIES

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
T-800	tube feeder PROMARK T-800	1 pcs	T800-AF
T-800	cutter unit PROMARK T-800	1 pcs	T800-CU
T-800	hard transport case PROMARK T-800	1 pcs	T800-HC
T-800	plate attachment PROMARK T-800	1 pcs	T800-PA
T-800	cleaning unit for T-800-PA	3 pcs	T800-PA-CLEAN
T-800	tube attachment PROMARK T-800	1 pcs	T800-TA
T-800	cleaning unit for T-800-TA	3 pcs	T800-TA-CLEAN
T-800	tube warmer PROMARK T-800	1 pcs	T800-TW
T-800	cleaning unit for T-800-TW	3 pcs	T800-TW-CLEAN
T-800	reel stand for large reels	1 pcs	MK-STV
T-800	reel stand for compacta discs and DN-reels	1 pcs	MK-RS3

 DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 74



TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
T-800	ink ribbon for PROMARK T-800 100 m black	5 pcs	T800-RB-BLACK
T-800	ink ribbon for PROMARK T-800 85 m white	5 pcs	T800-RB-WHITE

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 74

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
T-800	tape 6 mm yellow	30 m	T800-PL060CN4
T-800	tape 6 mm srebrna	27 m	T800-PL060CN8
T-800	tape 6 mm white	30 m	T800-PL060CN9
T-800	tape 9 mm yellow	30 m	T800-PL090CN4
T-800	tape 9 mm srebrna	27 m	T800-PL090CN8
T-800	tape 9 mm white	30 m	T800-PL090CN9
T-800	tape 12 mm yellow	30 m	T800-PL120CN4
T-800	tape 12 mm srebrna	27 m	T800-PL120CN8
T-800	tape 12 mm white	30 m	T800-PL120CN9

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 74

MK10

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK10	MK10	1 pcs	MK10-KIT1
MK10	MK10-DH double headed printer	1 pcs	MK10-DH-KIT1

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 78

MK10 - ACCESSOREIS

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK10	cutler unit MK10	1 pc	MK10-CU
MK10	Black Ribbon, width: 25mm (for PVC products), 360m	1 pc	MK10-RB-R712S
MK10	Black Ribbon, width: 38mm (for PVC products), 360m	1 pc	MK10-RB-R7138
MK10	Black Ribbon, width: 102mm (for PVC products), 360m	1 pc	MK10-RBR71102
MK10	Black Ribbon, width: 55mm (for PVC products), 360m	1 pc	MK10-RB-AXR8-55
MK10	Black Ribbon, width: 110mm (for ZEREX products), 360m	1 pc	MK10-RB-AXR8-110
MK10	White Ribbon, width: 60mm (for ZEREX products) 360m	1 pc	MK10-RB-AXR600W-60
MK-RS	Reel stand	1 pc	MK-RS
MK-RS	Small reel stand	1 pc	MK-RS3

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 78

PLOTTER: MK500

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK500	plotter in A3 format	1 pcs	MK500-UNI-A3-KIT1
MK500	plotter in A4 format	1 pcs	MK500-UNI-A4-KIT1

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 86

MK500 - ACCESSORIES

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK1-CF	cleaning cartridges	MK1-CF	MK1-CF
MK1- REFILL	waterproof ink - refill	MK1- REFILL	MK1-REFILL

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 86

PLOTTER PENS MK500

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK-PEN	Plotter pen, tip of pen 0.18mm	1 pcs	MK-PEN-018
MK-PEN	Plotter pen, tip of pen 0.25mm	1 pcs	MK-PEN-025
MK-PEN	Plotter pen, tip of pen 0.25mm (no refill)	1 pcs	MK-PEN-025 D
MK-PEN	Plotter pen, tip of pen 0.35mm	1 pcs	MK-PEN-035
MK-PEN	Plotter pen, tip of pen 0.35mm (no refill)	1 pcs	MK-PEN-035 D
MK-PEN	Plotter pen, tip of pen 0.50mm	1 pcs	MK-PEN-050
MK-PEN	Plotter pen, tip of pen 0.70mm	1 pcs	MK-PEN-070
MK-PEN	Plotter pen, tip of pen 1.00mm	1 pcs	MK-PEN-100

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 86

PLATES FOR MK500

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
MK500	Plates for PA+02 / PAZ+02 strips	1 pc	MK500-PA+02ST
MK500	Plates for PA+1 / PAZ+1 strips	1 pc	MK500-PA+1ST
MK500	Plates for PA+2	1 pc	MK500-PA+2
MK500	Plates for PK2 / PKZ2	1 pc	MK500-PK2
MK500	Plates for PK2 strips	1 pc	MK500-PK2ST
MK500	Plates for PC10 and PC20	1 pc	MK500-PC10/20
MK500	Plates for PC30 and PC40	1 pc	MK500-PC30/40
MK500	Plates for PFC	1 pc	MK500-PFC
MK500	Plates for POH	1 pc	MK500-POH
MK500	Plates for PS	1 pc	MK500-PS
MK500	Plates for TX-61	1 pc	MK500-TX61
MK500	Plates for TX-96	1 pc	MK500-TX96

DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 86

MARKES FOR MK500

PA+

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PA+02/15	PA+ 02/15 strip blank yellow	1008 pcs	PA+0201SPN4
PA+02/15	PA+ 02/15 strip blank white	1008 pcs	PA+0201SPN9
PA+02/21	PA+ 02/21 strip blank yellow	1008 pcs	PA+02021PN4
PA+02/21	PA+ 02/21 strip blank white	1008 pcs	PA+02021PN9
PA+02/27	PA+ 02/27 strip blank yellow	1001 pcs	PA+02027PN4
PA+02/27	PA+ 02/27 strip blank white	1001 pcs	PA+02027PN9
PA+02/36	PA+ 02/36 strip blank yellow	650 pcs	PA+02036PN4
PA+02/36	PA+ 02/36 strip blank white	650 pcs	PA+02036PN9
PA+02/42	PA+ 02/42 strip blank yellow	600 pcs	PA+02042PN4
PA+02/42	PA+ 02/42 strip blank white	600 pcs	PA+02042PN9
PA+1/15	PA+ 1/15 strip blank yellow	1008 pcs	PA+10015PN4
PA+1/15	PA+ 1/15 strip blank white	1008 pcs	PA+10015PN9
PA+1/21	PA+ 1/21 strip blank yellow	1008 pcs	PA+10021PN4
PA+1/21	PA+ 1/21 strip blank white	1008 pcs	PA+10021PN9
PA+1/27	PA+ 1/27 strip blank yellow	1001 pcs	PA+10027PN4



TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PA+1/27	PA+ 1/27 strip blank white	1001 pcs	PA-10027PN9
PA+1/36	PA+ 1/36 strip blank yellow	650 pcs	PA+10036PN4
PA+1/36	PA+ 1/36 strip blank white	650 pcs	PA+10036PN9
PA+1/42	PA+ 1/42 strip blank yellow	520 pcs	PA+10042PN4
PA+1/42	PA+ 1/42 strip blank white	520 pcs	PA+10042PN9
PA+2/15	PA+ 2/15 cut blank yellow	100 pcs	PA+20015AN4
PA+2/15	PA+ 2/15 cut blank white	100 pcs	PA+20015AN9
PA+2/21	PA+ 2/21 cut blank yellow	100 pcs	PA+20021AN4
PA+2/21	PA+ 2/21 cut blank white	100 pcs	PA+20021AN9
PA+2/27	PA+ 2/27 cut blank yellow	100 pcs	PA+20027AN4
PA+2/27	PA+ 2/27 cut blank white	100 pcs	PA+20027AN9
PA+2/36	PA+ 2/36 cut blank yellow	100 pcs	PA+20036AN4
PA+2/36	PA+ 2/36 cut blank white	100 pcs	PA+20036AN9
PA-3/15	PA 3/15 cut blank yellow	20 pcs	PA-30015AN4
PA-3/15	PA 3/15 cut blank white	20 pcs	PA-30015AN9
PA-3/21	PA 3/21 cut blank yellow	20 pcs	PA-30021AN4
PA-3/21	PA 3/21 cut blank white	20 pcs	PA-30021AN9
PA-3/27	PA 3/27 cut blank yellow	20 pcs	PA-30027AN4
PA-3/27	PA 3/27 cut blank white	20 pcs	PA-30027AN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 14

PC

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PC-10/15	PC 10/15 cut blank yellow	100 pcs	PC-10015AN4
PC-10/15	PC 10/15 cut blank white	100 pcs	PC-10015AN9
PC-10/21	PC 10/21 cut blank yellow	100 pcs	PC-10021AN4
PC-10/21	PC 10/21 cut blank white	100 pcs	PC-10021AN9
PC-10/27	PC 10/27 cut blank yellow	100 pcs	PC-10027AN4
PC-10/27	PC 10/27 cut blank white	100 pcs	PC-10027AN9
PC-10/36	PC 10/36 cut blank yellow	100 pcs	PC-10036AN4
PC-10/36	PC 10/36 cut blank white	100 pcs	PC-10036AN9
PC-20/15	PC 20/15 cut blank yellow	100 pcs	PC-20015AN4
PC-20/15	PC 20/15 cut blank white	100 pcs	PC-20015AN9
PC-20/21	PC 20/21 cut blank yellow	100 pcs	PC-20021AN4
PC-20/21	PC 20/21 cut blank white	100 pcs	PC-20021AN9
PC-20/27	PC 20/27 cut blank yellow	100 pcs	PC-20027AN4
PC-20/27	PC 20/27 cut blank white	100 pcs	PC-20027AN9
PC-20/36	PC 20/36 cut blank yellow	100 pcs	PC-20036AN4
PC-20/36	PC 20/36 cut blank white	100 pcs	PC-20036AN9
PC-30/15	PC 30/15 cut blank yellow	100 pcs	PC-30015AN4
PC-30/15	PC 30/15 cut blank white	100 pcs	PC-30015AN9
PC-30/21	PC 30/21 cut blank yellow	100 pcs	PC-30021AN4
PC-30/21	PC 30/21 cut blank white	100 pcs	PC-30021AN9
PC-30/27	PC 30/27 cut blank yellow	100 pcs	PC-30027AN4
PC-30/27	PC 30/27 cut blank white	100 pcs	PC-30027AN9
PC-30/36	PC 30/36 cut blank yellow	100 pcs	PC-30036AN4
PC-30/36	PC 30/36 cut blank white	100 pcs	PC-30036AN9
PC-40/15	PC 40/15 cut blank yellow	100 pcs	PC-40015AN4
PC-40/15	PC 40/15 cut blank white	100 pcs	PC-40015AN9
PC-40/21	PC 40/21 cut blank yellow	100 pcs	PC-40021AN4
PC-40/21	PC 40/21 cut blank white	100 pcs	PC-40021AN9
PC-40/27	PC 40/27 cut blank yellow	100 pcs	PC-40027AN4
PC-40/27	PC 40/27 cut blank white	100 pcs	PC-40027AN9
PC-40/36	PC 40/36 cut blank yellow	100 pcs	PC-40036AN4
PC-40/36	PC 40/36 cut blank white	100 pcs	PC-40036AN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 16

PK

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PK-2/15	PK 2/15 cut blank yellow	20 pcs	PK-20015AN4
PK-2/15	PK 2/15 cut blank white	20 pcs	PK-20015AN9
PK-2/21	PK 2/21 cut blank yellow	20 pcs	PK-20021AN4
PK-2/21	PK 2/21 cut blank white	20 pcs	PK-20021AN9
PK-2/27	PK 2/27 cut blank yellow	20 pcs	PK-20027AN4
PK-2/27	PK 2/27 cut blank white	20 pcs	PK-20027AN9
PK-2/21ST	PK 2/21 strip blank yellow	450 pcs	PK-20021PN4
PK-2/21ST	PK 2/21 strip blank white	450 pcs	PK-20021PN4
PK-2/36ST	PK 2/36 strip blank yellow	250 pcs	PK-20036PN4
PK-2/36ST	PK 2/36 strip blank white	250 pcs	PK-20036PN9
PK-2/57ST	PK 2/57 strip blank yellow	150 pcs	PK-20057PN4
PK-2/57ST	PK 2/57 strip blank white	150 pcs	PK-20057PN9
PK-2/84ST	PK 2/84 strip blank yellow	100 pcs	PK-20084PN4
PK-2/84ST	PK 2/84 strip blank white	100 pcs	PK-20084PN9
PK-20Q25	PK 2/25 cut pre-punched blank yellow	20 pcs	PK-20Q25AN4
PK-20Q25	PK 2/25 cut pre-punched blank white	20 pcs	PK-20Q25AN9
PK-20Q25	PK 2/25 cut pre-punched blank yellow	3000 pcs	PK-20Q25KN4
PK-20Q25	PK 2/25 cut pre-punched blank white	3000 pcs	PK-20Q25KN9
PK-20Q40	PK 2/40 cut pre-punched blank yellow	20 pcs	PK-20Q40AN4
PK-20Q40	PK 2/40 cut pre-punched blank white	20 pcs	PK-20Q40AN4
PK-20Q40	PK 2/40 cut pre-punched blank yellow	2000 pcs	PK-20Q40KN4
PK-20Q40	PK 2/40 cut pre-punched blank white	2000 pcs	PK-20Q40KN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 22

PS

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
PS	PS20/17.5 mm white: blank	20 pcs	PS-20018AN9
PS	PS20/35.0 mm white: blank	20 pcs	PS-20035AN9
PS	PS20/52.5 mm white: blank	20 pcs	PS-20053AN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 54

TX

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
TX	for terminal blocks 5.2 mm white	100 pcs	TX-96052PN9
TX	for terminal blocks 6.0 mm white	100 pcs	TX-96060PN9
TX	for terminal blocks 6.2 mm white	100 pcs	TX-96062PN9
TX	for terminal blocks 7.3 mm white	100 pcs	TX-96073PN9
TX	for terminal blocks 8.0 mm white	100 pcs	TX-96080PN9
TX	for terminal blocks 8.2 mm white	100 pcs	TX-96082PN9
TX	for terminal blocks 10.0 mm white	100 pcs	TX-96100PN9
TX	for terminal blocks 10.2 mm white	100 pcs	TX-96102PN9
TX	for terminal blocks 12.0 mm white	100 pcs	TX-96120PN9
TX	for terminal blocks14.1 mm white	100 pcs	TX-96141PN9
TX	for terminal blocks 15.1 mm white	100 pcs	TX-96151PN9
TX	for terminal blocks 6.1 x 5.1 mm white	100 pcs	TX-61051PN9
TX	for terminal blocks 6.1 x 6.1 mm white	100 pcs	TX-61061PN9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 42



POH

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
POH	red 60 mm	100 pcs	POH07060AA2
POH	yellow 60 mm	100 pcs	POH07060AA4
POH	green 60 mm	100 pcs	POH07060AA5
POH	blue 60 mm	100 pcs	POH07060AA6
POH	white 60 mm	100 pcs	POH07060AA9
POH	red 82 mm	100 pcs	POH12082AA2
POH	yellow 82 mm	100 pcs	POH12082AA4
POH	green 82 mm	100 pcs	POH12082AA5
POH	blue 82 mm	100 pcs	POH12082AA6
POH	white 82 mm	100 pcs	POH12082AA9
POH	red 110 mm	100 pcs	POH18110AA2
POH	yellow 110 mm	100 pcs	POH18110AA4
POH	green 110 mm	100 pcs	POH18110AA5
POH	blue 110 mm	100 pcs	POH18110AA6
POH	white 110 mm	100 pcs	POH18110AA9

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 23

SP2000

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
SP2000	marking machine	1 pc	SP2000-UNI

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 95

ACCESSORIES SP2000

TYPE	DESCRIPTION	PACKAGING	ARTICLE NUMBER
SP2000	data cable for connection to PC	1 pc	MK20-SP2000-CABLE
SP2000	cushion for knife	10 pc	MK20-SP2000-CRB
SP2000	cutter knife kit	10 pc	MK20-SP2000-CKN
SP2000	black ribbon for PO-products	200 m	SP1W-S611-20
SP2000	black ribbon for POZ and PH-products	200 m	SP1W-S619-20
SP2000	white ribbon for PO-products	200 m	SP1W-S625-20
SP2000	white ribbon for POZ and PH-products	100 m	SP1W-S629-20
SP2000	red ribbon 200m for PO-products	200 m	SP1W-S631-20
SP2000	reel stand	1 pc	SP1W-STV

▶ DETAILED DESCRIPTION OF THE PRODUCT ON PAGE 95





www.partex.nu

PARTEX MARKING SYSTEMS AB.

Visiting address: Tore Lööfs Gata 2, Gullspång, Sweden

Postal address: SE-547 22 Gullspång, Sweden

Phone +46 (0)551 280 00, Fax +46 (0)551 280 99

sales@partex.se